

Mouse recombinant ENO1 protein, AF

Catalog Number: PROTP17182-2

Overview

Product Name	Mouse recombinant ENO1 protein, AF
Description	Enolase 1 (ENO1) also named alpha-enolase which is a glycolytic enzyme that plays the key reactions of glycolysis. It could convert the NAD ⁺ to NADH by producing two ATP. ENO1 is a homodimer which is composed by two isozymes of enolase (2 alpha, 2 n, or 2 beta). It also plays an important role in cancer model which can promote tumor cell proliferation and migration by the PI3K signaling pathway. ENO1 is a biomarker of prognostic and diagnostic cancer.
Size	5ug,20ug,100ug
Tag	His Tag (N-term)
Form	Lyophilized
Source	Escherichia coli
Formulation	The protein was lyophilized from a 0.2 um filtered solution containing 7 mM MgSO ₄ in 1X PBS, pH 7.2 If you have any concerns or special requirements, please confirm with us.

Storage

Lyophilized protein should be stored at -20°C for 1 year. Upon reconstitution, store at 2°C to 8°C for up to 1 week. Further dilute in a buffer containing a carrier protein or stabilizer (e.g. 0.1% BSA, 10%FBS, 5%HSA or 5% trehalose solution), protein aliquots should be stored at -20°C or -80°C for 3-6 months. Avoid repeated freeze/thaw cycles.

Purity

>98% as determined by SDS-PAGE.

Molecular weight

The protein has a calculated MW of 47.82 kDa. The protein migrates about 48 kDa under reducing condition (SDS-PAGE analysis).

Activity

Testing in process

Endotoxin

<0.1 EU per 1 ug of the protein by the LAL method.

Amino Acid Sequence

SILRIHAREIFDSRGNPTVEVDLYTAKGLFRAAVPSGASTGIYEALERDNDKTRFMGKGVSQAVEHINKTIAPALVSKKVNVEQEKIDKLMIMDGTEN
KSKFGANAILGVSLAVCKAGAVEKGVPLYRHIADLAGNPEVILPVPAFNVINGGSHAGNKLAMQEFMILPVGASSFREAMRIGAEVYHNLKNVIKEYGK
DATNVGDEGGFAPNILENKEALELLKTAIAKAGYTDQVVIGMDVAASEFYRSGKYDLDFKSPDDPSRYITPDQLADLYKSFVQNYPVVSIEDPFDQDDW
GAWQKFTASAGIQVVGDDLTVTNPKRIAKAASEKSCNCLLLKVNQIGSVTESLQACKLAQSNGWGMVSHRSGETEDTFIADLVVGLCTGQIKTGAPC
RSERLAKYNQILRIEELGSKAKFAGRSFRNPLAKwith polyhistidine tag at the N-terminus

Reconstitution

Centrifuge at 3000 rpm for 5 mins before opening. It is recommended to reconstitute the lyophilized protein in sterile H₂O to a concentration not less than 100 ug/mL and incubate the stock solution at room temperature for at least 20 mins to ensure sufficient re-dissolved. Do Not Vortex! Vigorous shaking may impair the biological activity of the protein.

Usage

Boster's products are furnished for LABORATORY RESEARCH USE ONLY. The product may not be used as drugs, agricultural or pesticidal products, food additives or household chemicals.

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Mouse recombinant ENO1 protein, AF