

# Human recombinant BMP-7 (Bone morphogenetic protein-7) protein, AF

Catalog Number: PROTP18075-7

## Overview

Product Name	Human recombinant BMP-7 (Bone morphogenetic protein-7) protein, AF
Description	Bone Morphogenetic Protein-7 (BMP-7) is an extracellular multifunctional cytokine that is also a member of the TGF-beta family. BMP7 can significantly inhibit TGF-beta through binding with TGF-beta receptor and trigger SMAD transcription factors, such as SMAD 1/5/8. It plays a vital role in inhibiting the expansion of kidney damage and promoting the differentiation of osteoblasts.
Size	5ug,20ug,100ug
Tag	His Tag (C-term)
Form	Lyophilized
Source	Escherichia coli
Formulation	The protein was lyophilized from a 0.2 um filtered solution containing 20 mM sodium citrate, 0.2 M NaCl, pH 3.5. If you have any concerns or special requirements, please confirm with us.

# **Storage**

Lyophilized protein should be stored at -20°C for 1 year. Upon reconstitution, store at 2°C to 8°C for up to 1 week. Further dilute in a buffer containing a carrier protein or stabilizer (e.g. 0.1% BSA, 10%FBS, 5%HSA or 5% trehalose solution), protein aliquots should be stored at -20°C or -80°C for 3-6 months. Avoid repeated freeze/thaw cycles.

## **Purity**

>95% as determined by SDS-PAGE.

## Molecular weight

The protein has a calculated MW of 14.00 kDa. The protein migrates as 12 kDa under reducing condition (SDS-PAGE analysis).

#### **Activity**

Measure by its ability to induce alkaline phosphatase production by ATDC5 cells. The ED22 for this effect is <0.65 ug/mL.

### **Endotoxin**

< 0.1 EU per 1 ug of the protein by the LAL method.

#### **Amino Acid Sequence**







MANVAENSSSDQRQACKKHELYVSFRDLGWQDWIIAPEGYAAYYCEGECAFPLNSYMNATNHAIVQTLVHFINPETVPKPCCAPTQLNAISVLYFDDS SNVILKKYRNMVVRACGCH with polyhistidine tag at the C-terminus.

#### Reconstitution

Centrifuge at 3000 rpm for 5 mins before opening. It is recommended to reconstitute the lyophilized protein in sterile H<sup>2</sup>O to a concentration not less than 100 ug/mL and incubate the stock solution at room temperature for at least 20 mins to ensure sufficient re-dissolved. Do Not Vortex! Vigorous shaking may impair the biological activity of the protein.



# Usage

Boster's products are furnished for LABORATORY RESEARCH USE ONLY. The product may not be used as drugs, agricultural or pesticidal products, food additives or household chemicals.

# Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.



Human recombinant BMP-7 (Bone morphogenetic protein-7) protein, AF