

Mouse recombinant IL-38 (Interleukin-38) protein, AF

Catalog Number: PROTQ8R459

Overview

Product Name	Mouse recombinant IL-38 (Interleukin-38) protein, AF
Description	Interleukin 38 (IL-38) is a 16.87 kDa cytokine with 152 amino acid residues and a member of the interleukin-1 (IL-1) family. IL-38 is primarily secreted from basal epithelia of the skin and B cells of the tonsil, spleen, and thymus. It plays essential roles in inflammation and host defense by mediating NF-kappaB, AP1, and JNK signaling pathways when IL-38 binds to the receptors like IL1RAPL1 and IL-36R. In addition, IL-38 participates in down-regulating cell proliferation, migration, and upregulating IL-6 and IL-10.
Size	5ug,20ug,100ug
Tag	His Tag (C-term)
Form	Lyophilized
Source	Escherichia coli
Formulation	The protein was lyophilized from a 0.2 um filtered solution containing 1X PBS, pH 7.4. If you have any concerns or special requirements, please confirm with us.

Storage

Lyophilized protein should be stored at -20°C for 1 year. Upon reconstitution, store at 2°C to 8°C for up to 1 week. Further dilute in a buffer containing a carrier protein or stabilizer (e.g. 0.1% BSA, 10%FBS, 5%HSA or 5% trehalose solution), protein aliquots should be stored at -20°C or -80°C for 3-6 months. Avoid repeated freeze/thaw cycles.

Purity

>98% as determined by SDS-PAGE.

Molecular weight

The protein has a calculated MW of 17.89 kDa. The protein migrates as 17-25 kDa under reducing condition (SDS-PAGE analysis).

Activity

Testing in process

Endotoxin

< 0.1 EU per 1 ug of the protein by the LAL method.







Amino Acid Sequence

MCSLPMARYYIIKDAHQKALYTRNGQLLLGDPDSDNYSPEKVCILPNRGLDRSKVPIFLGMQGGSCCLACVKTREGPLLQLEDVNIEDLYKGGEQTTRFT FFQRSLGSAFRLEAAACPGWFLCGPAEPQQPVQLTKESEPSTHTEFYFEMSR with polyhistidine tag at the C-terminus.

Reconstitution

Centrifuge at 3000 rpm for 5 mins before opening. It is recommended to reconstitute the lyophilized protein in sterile H20 to a concentration not less than 100 ug/mL and incubate the stock solution at room temperature for at least 20 mins to ensure sufficient re-dissolved. Do Not Vortex! Vigorous shaking may impair the biological activity of the protein.



Usage

Boster's products are furnished for LABORATORY RESEARCH USE ONLY. The product may not be used as drugs, agricultural or pesticidal products, food additives or household chemicals.

Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.





Mouse recombinant IL-38 (Interleukin-38) protein, AF