

# Human recombinant FGF-22 (Fibroblast growth factor-22) protein, AF

Catalog Number: PROTQ9HCT0-1

### Overview

Product Name	Human recombinant FGF-22 (Fibroblast growth factor-22) protein, AF
Description	Fibroblast Growth Factors-22 (FGF-22) is a 22.3 kDa member of the fibroblast Growth Factors with 209 amino acid residues. FGF-22 is expressed from brain, skin, horizontal cells, bipolar cells, rod photoreceptor cells, muller glia cells. Involving fasting response, glucose homeostasis, lipolysis, lipogenesis and hair development.
Size	5ug,20ug,100ug
Tag	His-SUMO Tag (N-term)
Form	Lyophilized
Source	Escherichia coli
Formulation	The protein was lyophilized from a 0.2 um filtered solution containing 1X PBS, pH 8.0. If you have any concerns or special requirements, please confirm with us.

## **Storage**

Lyophilized protein should be stored at -20°C for 1 year. Upon reconstitution, store at 2°C to 8°C for up to 1 week. Further dilute in a buffer containing a carrier protein or stabilizer (e.g. 0.1% BSA, 10%FBS, 5%HSA or 5% trehalose solution), protein aliquots should be stored at -20°C or -80°C for 3-6 months. Avoid repeated freeze/thaw cycles.

### **Purity**

>98% as determined by SDS-PAGE.

### Molecular weight

The protein has a calculated MW of 29.35 kDa. The protein migrates as 36 kDa under reducing condition (SDS-PAGE analysis).

#### **Activity**

Measure by its ability to induce 3T3 cells proliferation. The ED?? for this effect is <2 ng/mL.

#### **Endotoxin**

< 0.1 EU per 1 ug of the protein by the LAL method.

#### **Amino Acid Sequence**







TPSASRGPRSYPHLEGDVRWRRLFSSTHFFLRVDPGGRVQGTRWRHGQDSILEIRSVHVGVVVIKAVSSGFYVAMNRRGRLYGSRLYTVDCRFRERIEEN GHNTYASQRWRRRGQPMFLALDRRGGPRPGGRTRRYHLSAHFLPVLVS with polyhistidine tag and SUMO tag at the N-terminus.

#### Reconstitution

Centrifuge at 3000 rpm for 5 mins before opening. It is recommended to reconstitute the lyophilized protein in sterile H<sup>2</sup>O to a concentration not less than 100 ug/mL and incubate the stock solution at room temperature for at least 20 mins to ensure sufficient re-dissolved. Do Not Vortex! Vigorous shaking may impair the biological activity of the protein.



# Usage

Boster's products are furnished for LABORATORY RESEARCH USE ONLY. The product may not be used as drugs, agricultural or pesticidal products, food additives or household chemicals.

### Submit a product review to Biocompare.com

Submit a review of this product to Biocompare.com to receive a \$20 Amazon giftcard! Your reviews help your fellow scientists make the right decisions. Thank you for your contribution.





Human recombinant FGF-22 (Fibroblast growth factor-22) protein, AF