



CD1a (OKT6)

Туре	Size	Catalog number
Unconjugated	100µg	111501
	500µg	111503
FITC	25 tests	111514
	100 tests	111515
	200 tests	111516
PE	25 tests	111524
	100 tests	111525
	200 tests	111526
iFluor™ 647	25 tests	1115124
	100 tests	1115125
	200 tests	1115126
PE-Cyanine5	25 tests	111574
	100 tests	111575
	200 tests	111576
PE-Cyanine7	25 tests	111584
	100 tests	111585
	200 tests	111586

iFluor is a trademark of AAT Bioquest, Inc.

Antigen:	CD1a	
Immunogen:	Human acute lymphoblastic leukemia cells	
Host/Isotype:	Mouse, lgG1, κ	
Reactivity:	Human	
Purity:	>90% pure tested via polyacrylamide gel electrophoresis (PAGE)	
Formulation:	PBS, pH7.2, 0.09%NaN₃	
Storage:	Store at 2-8°C and protected from prolonged exposure to light. Do not freeze.	
Applications:	Flow Cytometry	

Application Information

Each lot of these antibodies has been pre-titrated and tested by flow cytometric analysis of human PBMCs such that 0.5µg of this product is sufficient for staining 1 million cells in a 100µl staining volume or 100µl of whole blood. It is recommended to titrate antibody reactivity empirically for optimal performance.

Antigen Information

The clone OKT6, a mouse monoclonal antibody selectively recognizes 49-kDa type I transmembrane glycoprotein non-covalently associated with β 2-microglobulin known as CD1a. The CD1a glycoprotein has structural similarities to MHC class I molecule and plays important role in antigen-presenting mechanism to T-cell receptors present on NK T-cells. It is expressed on cortical double positive and single positive thymocytes, Langerhans cells, and dendritic cells. In addition to antigen presentation NK T-cells, CD1a has been implicated in thymic T cell development. CD1a has been used as a marker for DCs in a range of human tumors and the density of CD1a DC has been associated with clinical outcome in patients with lung, colon, gastric, nasopharyngeal, laryngeal and tongue carcinomas.

References

- 1. Su, Kaihong, et al. 2007. J . Immunol, 178:3272-3280.
- 2. Blumberg RS, et al. 1995. Immunol. Rev. 147:5.
- 3. Calabi F, et al. 1991. Tissue Antigens 37:1.
- 4. Melian A, et al. 1996. Curr. Opin. Immunol. 8:83.
- 5. Martin LH, et al. 1987. Proc Natl Acad Sci USA. 84:9189.
- 6. Coventry BJ, et al. 2003. Br. J. Cancer. 89:533.

Caprico Biotechnologies, 400 Pinnacle Way, Suite 430, Norcross, GA 30071 Phone: +1 (678) 691-2143 Technical Support Ext 102, Fax: (678) 691-2223 Email: techsupport@capricobio.com

www.CapricoBio.com



TECHNICAL DATA SHEET

Terms and Conditions

This product is for research use only (RUO) and not intended for diagnostic testing.

Caprico Biotechnologies, 400 Pinnacle Way, Suite 430, Norcross, GA 30071 Phone: +1 (678) 691-2143 Technical Support Ext 102, Fax: (678) 691-2223 Email: techsupport@capricobio.com www.CapricoBio.com