

## **TECHNICAL DATA SHEET**

# CD25 (7G7B6)

## **Analyte Specific Reagent (ASR)\***

| Туре        | Number of | Volume per | Total volume | Catalog number |
|-------------|-----------|------------|--------------|----------------|
|             | tests     | test (μL)  | (μL)         |                |
| PE          | 50        | 5          | 250          | 4026022        |
|             | 100       | 5          | 500          | 4026025        |
| PE-Cyanine5 | 50        | 5          | 250          | 4026072        |
|             | 100       | 5          | 500          | 4026075        |

Antigen: CD25

**Immunogen**: Influenza virus stimulated human peripheral blood mononuclear cells.

**Host/Isotype:** Mouse, IgG2a,κ

**Reactivity:** Human

**Purity:** >90% pure tested via polyacrylamide gel electrophoresis (PAGE)

Formulation: PBS, pH7.2, 0.09% NaN<sub>3</sub> and 0.2% (w/v) BSA

Storage: Store at 2-8°C and protected from prolonged exposure to light. **Do not freeze.** 

**Applications:** Flow Cytometry.

## **Antigen Information**

The clone 7G7B6 specifically binds to the 55 kDa type I transmembrane glycoprotein known as the low-affinity interleukin-2 receptor alpha chain subunit (IL2R $\alpha$ , CD25). CD25 is expressed on regulatory T cells and on monocytes and activated lymphocytes (T and B). CD25 expression on T and B lymphocytes is upregulated by antigenic or mitogenic stimulation.

#### References

- 1. Boutin B, et al. 1989. Neuropediatrics. 20:202.
- 2. Lundin K, et al. 2001. Anal Biochem. 299:92.
- 3. Raivio E, et al. 1997. APMIS. 105:108.
- 4. Yamamura T, et al. 2002. Arch Dermatol Res. 294:349.

<sup>\*</sup>Analyte Specific Reagent. The analytical and performance characteristics of this ASR product are not established.