PAK1 PBD Agarose Beads

CATALOG NUMBER: STA-411 STORAGE: -20°C

QUANTITY AND CONCENTRATION: 800 μL of 50% Agarose slurry, 400 μg PAK1-PBD in 1X PBS, 50% Glycerol

SHELF LIFE: 1 year from receipt under proper storage conditions; avoid multiple freeze thaw cycles

Background

Small GTP-binding proteins (or GTPases) are a family of proteins that serve as molecular regulators in signaling transduction pathways. Rac, a 21 kDa protein, belongs to the family of Rho GTPases regulating a variety of biological response pathways that include cell motility, cell division, gene transcription, and cell transformation. Like other small GTPases, Rac regulates molecular events by cycling between an inactive GDP-bound form and an active GTP-bound form. In its active (GTP-bound) state, Rac binds specifically to the p21-binding domain (PBD) of p21-activated protein kinase (PAK) to control downstream signaling cascades.

Presentation

PAK PBD Agarose beads, in color, are easy to visualize, minimizing potential loss during washes and aspirations of Rac-GTP pulldown (Figure 1).



Figure 1: PAK-PBD Beads in Color



Activity

Product specifically interacts and precipitaes GTP-bound Rac or Cdc 42 from cell lysate (Figures 2 & 3).




Figure 2: Rac Activation Assay. *Lane 1*, GTPase Immunoblot Positive Control. *Lane 2*, 293 cell lysate loaded with GDP and incubated with PAK PBD Agarose beads. *Lane 3*, 293 cell lysate loaded with GTPγS and incubated with PAK-1 PBD Agarose beads. Samples were immunoblotted with anti-Rac antibody.




Figure 3: Cdc42 Activation Assay. *Lane 1*, MW Standard. *Lane 2*, 293 cell lysate loaded with GDP and incubated with PAK PBD Agarose beads. *Lane 3*, 293 cell lysate loaded with GTPγS and incubated with PAK-1 PBD Agarose beads. Samples were immunoblotted with anti-Cdc42 antibody.



References

- 1. Raftopoulou M., and Hall A. (2004) *Dev Biol.* **265**: 23-32.
- 2. Bar-Sagi D., and Hall A. (2000) Cell 103: 227-38.
- 3. Benard, V., Bohl, B. P., and Bokoch, G. M. (1999) J. Biol. Chem. 274, 13198-13204.

Recent Product Citations

- 1. Morrison, A. R. et al. (2014). Chemokine-Coupled β2 Integrin-Induced Macrophage Rac2-Myosin IIA Interaction Regulates VEGF-A mRNA Stability and Arteriogenesis. *J Exp Med.* **211**:1957-1968.
- 2. Pothula, S. et al. (2013). Regulation of Cdc42 Expression and Signaling Is Critical for Promoting Corneal Epithelial Wound Healing. *Invest. Ophthalmol. Vis. Sci.* **54**: 5343-5352.
- 3. Cheng, J. et al.(2010).FSP-1 Silencing in Bone Marrow Cells Suppresses Neointima Formation in Vein Graft. *Circ Res.* **110**:230-240.
- 4. Levy-Adam, F. et al. (2008). Heparanase Facilitates Cell Adhesion and Spreading by Clustering of Cell Surface Heparan Sulfate Proteoglycans. *PLoS ONE* **3(6):**e2319.
- 5. Zhang, Q-G. et al. (2009). Estrogen Attenuates Ischemic Oxidative Damage Via an Estrogen Receptor Alpha-Mediated Inhibition of NADPH Oxidase Activation. *J. Neurosci.* **29**:13823-13836.
- 6. Sabbatini, M. E. et al. (2010). CCK Activates RhoA and Rac1 Differentially Through G-alpha-13 and G-alpha-q in Mouse Pancreatic Acini. *Am. J. Physiol. Cell Physiol.* **298**:C592-C605.

Warranty

These products are warranted to perform as described in their labeling and in Cell Biolabs literature when used in accordance with their instructions. THERE ARE NO WARRANTIES THAT EXTEND BEYOND THIS EXPRESSED WARRANTY AND CELL BIOLABS DISCLAIMS ANY IMPLIED WARRANTY OF MERCHANTABILITY OR WARRANTY OF FITNESS FOR PARTICULAR PURPOSE. CELL BIOLABS 's sole obligation and purchaser's exclusive remedy for breach of this warranty shall be, at the option of CELL BIOLABS, to repair or replace the products. In no event shall CELL BIOLABS be liable for any proximate, incidental or consequential damages in connection with the products.

This product is for RESEARCH USE ONLY; not for use in diagnostic procedures.

Contact Information

Cell Biolabs, Inc. 7758 Arjons Drive San Diego, CA 92126

Worldwide: +1 858-271-6500 USA Toll-Free: 1-888-CBL-0505 E-mail: tech@cellbiolabs.com

www.cellbiolabs.com

©2006-2013: Cell Biolabs, Inc. - All rights reserved. No part of these works may be reproduced in any form without permissions in writing.

