

IL27

Mouse Anti-Human IL-27 Clone B-G44 Azide Free mAb

Catalog No. CDM122 Quantity: 500 μg

Alternate Names: p28; IL30; IL-27; IL27A; IL-27A; IL27p28

Description: Mouse Anti-Human IL-27 Clone B-G44 Azide Free mAb

Background: Interleukin 27 is one of the subunits of a heterodimeric cytokine complex. This protein is related to interleukin 12A (IL12A). It interacts with Epstein-Barr virus induced gene 3 (EBI3), a protein similar to interleukin 12B (IL12B), and forms a complex that has been shown to drive rapid expansion of naive but not memory CD4(+) T cells. The complex is also found to synergize strongly with interleukin 12 to trigger interferon gamma (IFNG) production of naive CD4(+) T cells. The biological effects of this cytokine

are mediated by the class I cytokine receptor (WSX1/TCRR).

Gene ID: 246778

Conjugate: Unconjugated

Specificity: Recognizes both natural and recombinant human IL-27

Host: Mouse

Immunogen: Recombinant human IL-27

Isotype: IgG1κ
Clone: B-G44

Hybridoma: Myeloma X63/AG.8653 x Balb/c lymph node cells

Formulation: Phosphate-buffered saline. Sterile-filtered through 0.22 μm. Carrier and preservative free

Purification: Ion exchange chromatography

Applications: ELISA

Application Notes: This antibody can be used as a Capture Antibody in a human IL-27 sandwich

immunoassay to detect human IL-27 in combination with biotinylated human IL-27

Detection Antibody (Cat No CDM434). ELISA Capture Antibody: 0.5-2.5µg/ml

The optimal concentration should be determined by the user for each specific application.

E-mail: info@cellsciences.com

Website: www.cellsciences.com

Storage & Stability: Store at 2-8°C for 12 months. For longer storage freeze aliquots.

NOT FOR HUMAN USE. FOR RESEARCH ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.

Toll Free: 888-769-1246

Phone: 978-572-1070

Fax: 978-992-0298