

ICAM1

Mouse Anti-Human ICAM1/CD54 Clone B-H22 Biotin Detection mAb

Catalog No. CDM421 Quantity: 100 μg

Alternate Names: ICAM-1; BB2; CD54; P3.58

Description: Mouse Anti-Human ICAM1/CD54 Clone B-H22 Biotin Detection mAb

Background: Intercellular adhesion molecule 1 (ICAM1) encodes a cell surface glycoprotein which is typically expressed on endothelial cells and cells of the immune system. It binds to integrins of type CD11a / CD18, or CD11b / CD18 and is also

exploited by Rhinovirus as a receptor.

Concentration: 0.1 mg / 1.0 ml

Gene ID: 3383

Specificity: Recognizes the Intercellular Adhesion Molecule-1 (ICAM-1), a 75-115 kDa protein

Host: Mouse

Immunogen: Activated human umbilical vein endothelial cells (HUVEC)

Isotype: IgG1
Clone: B-H22

Hybridoma: Myeloma X63/AG.8653 x Balb/c spleen cells

Formulation: Phosphate-buffered saline. With 1% BSA and 0.09% Sodium Azide. Precaution:

Sodium azide is a poisonous and hazardous substance which should be handled by

trained staff only.

Purification: Ion exchange chromatography

Applications: ELISA Detection Antibody. This antibody can be used as a Detection Antibody in a

human ICAM1 sandwich immunoassay to detect human ICAM1 in combination with

human ICAM1 Capture Antibody (Cat No CDM397). The suggested coating

concentration range below should be optimized by each laboratory for each application.

E-mail: info@cellsciences.com

Website: www.cellsciences.com

Application Notes: ELISA: 0.05-0.5 μg/ml

Storage & Stability: Store at 2-8°C for 12 months. For longer storage, freeze aliquots at -20°C. Avoid

Toll Free: 888-769-1246

Phone: 978-572-1070

Fax: 978-992-0298

repeated freeze-thaw cycles.

NOT FOR HUMAN USE. FOR RESEARCH ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.