

LAG3

Mouse Anti-Human LAG-3 Clone 11E3 Blocking Azide Free mAb

Catalog No. CMH008 Quantity: 100 μg

Alternate Names: CD223

Description: Lymphocyte activation gene 3 (LAG-3; CD223) plays an important role in negatively

regulating T cell proliferation, function and homeostasis. It is required for maximal natural and induced regulatory T cell (Treg) function. LAG-3 is closely related to the T cell coreceptor CD4 and binds to MHC class II molecules but with a significantly higher affinity

than CD4.

Concentration: 0.5 mg/ml

Gene ID: 3902

Purity: ≥95% by SDS-PAGE

Specificity: Human LAG-3

Host: Mouse

Immunogen: Recombinant human LAG-3.

lsotype: lgG1
Clone: 11E3

Formulation: Liquid in PBS + 10% glycerol.

Purification: Protein A-affinity purified from concentrated hybridoma tissue culture supernatant.

Endotoxin: <0.001 EU/μg purified protein or <1 EU/mg purified protein as determined by LAL test

(Lonza).

Cross-Reactivity: Monkey

Applications: ELISA: (capture)

Functional Application: Inhibition

Immunocytochemistry

Immunohistochemistry: (frozen sections)

Immunoprecipitation: (10 µg/ml)

Western Blot: (5 µg/ml)

Storage & Stability: Store at 4°C for the short term. After opening, divide into aliquots and store at -20°C.

Toll Free: 888-769-1246

Phone: 978-572-1070

Fax: 978-992-0298

Stable for at least 1 year after receipt when stored at -20°C. Avoid repeated freeze-

E-mail: info@cellsciences.com

Website: www.cellsciences.com

thaw cycles.

NOT FOR HUMAN USE. FOR RESEARCH ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.