

## Goat Anti-Bovine IgG(H+L)-Biotin pAb

<b>Catalog No.</b>	CPC023	<b>Quantity:</b>	1.0 mL
<b>Description:</b>	Goat Anti-Bovine IgG(H+L)-Biotin pAb. Pooled antisera from goats hyperimmunized with bovine IgG. Purification by affinity chromatography on bovine IgG covalently linked to agarose.		
<b>Specificity:</b>	Reacts with the heavy and light chains of bovine IgG		
<b>Immunogen:</b>	Bovine IgG		
<b>Isotype:</b>	Goat IgG		
<b>Conjugate:</b>	Biotin		
<b>Formulation:</b>	Liquid volume of 1.0 mL in a buffer of PBS/NaN <sub>3</sub> .		
<b>Isotype Control</b>	Goat IgG-Biotin		
<b>Cross-Reactivity:</b>	No cross adsorption. May react with immunoglobulins from other species and the light chains of other bovine immunoglobulins		
<b>Applications:</b>	Applications for this product include ELISA, FLISA, Flow Cytometry, Immunocytochemistry, Immunoprecipitation, Western Blot and Surface Plasmon Resonance.		
<b>Application Notes:</b>	Since applications vary, you should determine the optimum working dilution for the product that is appropriate for your specific need.		
<b>Storage &amp; Stability:</b>	Store at 2-8°C. For long term storage at -20°C, aliquot into smaller volumes to avoid multiple freeze/thaw cycles.		

**NOT FOR HUMAN USE. FOR RESEARCH ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.**

