## cellsciences.com

## Donkey Anti-Goat IgG (H+L) (Ads) Biotin pAb

Catalog No. CPG007 Quantity: 1.0 mg

**Description:** Donkey Anti-Goat IgG (H+L) (Ads) Biotin pAb. Pooled antisera from donkeys

hyperimmunized with goat IgG. Cross absorbed on rat and mouse serum proteins. Purification by affinity chromatography on goat IgG covalently linked to agarose.

**Concentration:** 500 μg/mL

**Specificity:** Reacts with the heavy and light chains of goat IgG

Immunogen:Goat IgGIsotype:Donkey IgG

Conjugate: Biotin

**Formulation:** Liquid volume of 2.0 mL supplied in PBS/NaN<sub>3</sub>.

**Isotype Control** Donkey IgG-Biotin

**Cross-Reactivity:** May react with immunoglobulins from other species and the light chains of other goat

immunoglobulins.

**Applications:** Applications for this product include ELISA, FLISA, Flow Cytometry,

Immunohistochemistry, Immunocytochemistry, and Western Blot.

Application Notes: Working dilution for ELISA 1:5,000 - 1:20,000, for FLISA with FITC conjugate 1:200 -

1:400. Since applications vary, you should determine the optimum working dilution for

E-mail: info@cellsciences.com

www.cellsciences.com


Website:

the product that is appropriate for your specific need.

**Storage & Stability:** Store at 2-8°C. For long term storage at -20°C, aliquot into smaller volumes to avoid

multiple freeze/thaw cycles.

Frozen newborn mouse cartilage section was stained with Goat Anti-Type II Collagen, right) followed by Donkey Anti-Goat IgG(H+L) (Ads) BIOT, Streptavidin-FITC and DAPI.



NOT FOR HUMAN USE. FOR RESEARCH ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.

Toll Free: 888-769-1246

Phone: 978-572-1070

Fax: 978-992-0298