

## Goat Anti-Porcine IgG (H+L) Biotin pAb

<b>Catalog No.</b>	CPP002	<b>Quantity:</b>	1.0 mg
<b>Description:</b>	Goat Anti-Porcine IgG (H+L) Biotin pAb. Pooled antisera from goats hyperimmunized with porcine IgG. Purified by affinity chromatography on porcine IgG covalently linked to agarose.		
<b>Concentration:</b>	500 µg/mL		
<b>Specificity:</b>	Reacts with the heavy and light chains of porcine IgG		
<b>Immunogen:</b>	Porcine IgG		
<b>Isotype:</b>	Goat IgG		
<b>Conjugate:</b>	Biotin		
<b>Formulation:</b>	Liquid volume of 2.0 mL supplied in PBS/NaN <sub>3</sub> .		
<b>Isotype Control</b>	Goat IgG-Biotin		
<b>Cross-Reactivity:</b>	May react with immunoglobulins from other species and the light chains of other porcine immunoglobulins.		
<b>Applications:</b>	Applications include ELISA, FLISA, Flow Cytometry, Immunocytochemistry, immunohistochemistry and Western Blot.		
<b>Application Notes:</b>	Working dilution for ELISA 1:5,000 - 1:20,000, FLISA with FITC or AF488, or AF555 conjugates 1:200 - 1:400. Since applications vary, you should determine the optimum working dilution for the product that is appropriate for your specific need.		
<b>Storage &amp; Stability:</b>	Store at 2-8°C. For long term storage at -20°C, aliquot into smaller volumes to avoid multiple freeze/thaw cycles.		

**NOT FOR HUMAN USE. FOR RESEARCH ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.**

