

IFNG


Mouse Anti-Human IFN-gamma Clone NIB42 mAb

Catalog No.	CSI12349 CSI12350	Quantity:	50 µg 0.5 mg
Alternate Names:	Interferon-γ, Immune interferon, Type II interferon, T cell interferon, Macrophage-activating factor (MAF), IFN-g, IFN-gamma		
Description:	Interferon-γ is a potent multifunctional cytokine which is secreted primarily by activated NK cells and T cells. Originally characterized based on anti-viral activities, IFN-γ also exerts anti-proliferative, immunoregulatory, and proinflammatory activities. IFN-γ can upregulate MHC class I and II antigen expression by antigen-presenting cells. The 4S.B3 antibody reacts with the human IFN-γ. The NIB42 antibody can neutralize the bioactivity of natural or recombinant IFN-γ.		
Concentration:	0.5 mg/ml		
Gene ID:	3458		
Structure:	Cytokine; dimer; 20-25 kD (Mammalian).		
Regulation:	Upregulated by IL-2, FGF-basic, EGF; downregulated by vitamin D3 or DMN; labile at pH2.		
Host:	Mouse		
Immunogen:	<i>E. coli</i> -expressed, recombinant human IFN-γ		
Isotype:	Mouse IgG1, κ		
Clone:	NIB42		
Bioactivity:	Antiviral/antiparasitic activities; inhibits proliferation; enhances MHC class I and II expression on APC.		
Formulation:	Phosphate-buffered solution, pH 7.2, containing 0.09% sodium azide. Precaution: Sodium azide is a poisonous and hazardous substance which should be handled by trained staff only.		
Purification:	The antibody was purified by affinity chromatography.		
Receptors:	IFN-γRα (CDw119) dimerized with IFN-γRβ (AF-1)		
Reactivity:	Human		
Applications:	ELISA Capture		
Recommended Usage:	Each lot of this antibody is quality control tested by ELISA assay. For ELISA Capture applications, the antibody should be titrated between 0.25-2 µg/ml to determine optimal		



condition. It is recommended that the reagent be titrated for optimal performance for each application.

- Storage & Stability:** The antibody solution should be stored undiluted at 4 °C.
- Cellular Sources:** CD8+ and CD4+ T cells, NK cells
- Cellular Targets:** T cells, B cells, macrophages, NK cells, endothelial cells, fibroblasts.



NOT FOR HUMAN USE. FOR RESEARCH ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.

