

PLG Sheep Anti-Human Plasminogen FITC pAb

Catalog No. CSI19947A Quantity: 1.0 mg

CSI19947B

Alternate Names: RP1-81D8.1, DKFZp779M0222

Description: Plasminogen (PLG) is a circulating zymogen that is converted to the active enzyme

Plasmin by cleavage of the peptide bond between Arg-560 and Val-561, which is mediated by Urokinase (uPA/PLAU) and Tissue Plasminogen Activator (tPA/PLAT). The main function of Plasmin is to dissolve Fibrin blood clots. Plasmin, like Trypsin, belongs to the family of serine proteases Fibrin is a cofactor for Plasminogen activation by tPA. Urokinase Plasminogen Activator Receptor (uPAR) is a cofactor for Plasminogen activation by uPA. Plasmin is inactivated by Alpha-2-Antiplasmin, a serine protease

inhibitor (serpin).

GenelD: 5340

Concentration: 10.0 mg/mL

Specificity: Human PLG

Host: Sheep

Immunogen: Human PLG

Isotype: IgG

Conjugate: FITC

Formulation: Frozen Liquid in 0.05 M Sodium Phosphate + 0.1 M NaCl + 1 mM EDTA pH 6.6

Fax: 781-828-0542

Purification: Protein G purified

Storage & Stability: Store at -70 C. Protect from light.

NOT FOR HUMAN USE. FOR RESEARCH ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.

Toll Free: 888-769-1246 E-mail: info@cellsciences.com
Phone: 781-828-0610 Website: www.cellsciences.com