

# CD120a, TNF-Receptor p55, Biotinylated, clone MR1-2 Monoclonal Antibody

Catalog No.: MON 9062B

Quantity: 0.5 ml

# Specificity

The antibody reacts with the extra cellular part of the TNF-Receptor p55. It also reacts with the soluble receptor. TNF-Receptor p55 is present on most cell types and is considered to play a prominent role in cell stimulation by TNF: Induction of cytotoxicity and other functions are mediated largely via TNF-Receptor p55.

# Immunoglobulin type

Murine IgG<sub>1</sub>

#### Use.

The antibody is useful for flow cytometry and histology on frozen sections.

## Instructions for use

The reactivity of the antibody with cellbound TNF-Receptor is minimally inhibited by high concentrations of TNF. See further instructions for use A and G.

## **Presentation**

0.5 ml purified antibody solution in PBS with approximately 50  $\mu g$  Ig and 0.1% BSA and 0.1% sodium azide. Also available unconjugated.

Toll Free: 888-769-1246

Phone: 781-828-0610

Fax: 781-828-0542

E-mail: info@cellsciences.com

Web Site: www.cellsciences.com

## Literature

- Leeuwenberg, J.F.M., et al., 1994, J. Immunol. 152, 4036-4043.
- Leeuwenberg, J.F.M., et al., 1994, J. Immunol. 152, 5070-5076.

FOR RESEARCH USE ONLY, NOT FOR DRUG, DIAGNOSTIC OR OTHER USE