

Rabbit Anti-Goat Immunoglobulin G + Immunoglobulin A + Immunoglobulin M Peroxidase Affinity Purified pAb

Catalog No.	PS108P	Quantity:	1.2 mg
Description:	<p>Antibodies were raised in rabbit to goat IgG, IgM and IgA. Specific antibodies were absorbed by incubation with Sepharose-bound goat immunoglobulins. Specific antibodies were eluted by acidic buffer at pH 2.5 followed by neutralization and dialysis. After repeated binding with immobilized goat immunoglobulins a minimum of 65% protein bound.</p> <p>The purified polyclonal was conjugated to horseradish peroxidase according to the periodate method followed by gel-filtration and ion-exchange chromatography to clear unbound conjugate.</p>		
Host:	Rabbit		
Isotype:	IgG, IgM and IgA.		
Formulation:	1 ml purified rabbit antiserum at 1.2 mg/ml protein in 50% glycerol with 0.1 M NaCl, 0.01M sodium phosphate at pH 7.5.		
Cross-Reactivity:	<p>No cross reaction with albumin fraction of goat serum.</p> <p>No cross reaction with albumin fraction of other animal species.</p> <p>No background was seen on human tissue sections.</p>		
Applications:	<p>Recommended dilution as secondary antibody in ELISA, 1:1000.</p> <p>Recommended dilution as secondary antibody in dot-blotting, 1:100.</p>		

NOT FOR HUMAN USE. FOR RESEARCH ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.

