

Recombinant Hepatitis C Virus Combined

Catalog No. CSI15727A Quantity: 100 µg

CSI15727B 0.5 mg CSI15727C 1.0 mg

Description: HCV is a small 50 nm, enveloped, single-stranded, positive sense RNA virus in the family

Flaviviridae.

HCV has a high rate of replication with approximately one trillion particles produced each day in an infected individual. Due to lack of proofreading by the HCV RNA polymerase, the HCV has an exceptionally high mutation rate, a factor that may help it elude the host's immune response. Hepatitis C virus is classified into six genotypes (1-6) with several subtypes within each genotype. The preponderance and distribution of HCV genotypes varies globally. Genotype is clinically important in determining potential response to interferon-based therapy and the required duration of such therapy.

Genotypes 1 and 4 are less responsive to interferon-based treatment than are the other

genotypes (2, 3, 5 and 6).

The *E.Coli* derived 70 kDa recombinant protein contains sequences from 4 gene products (proteins) of the hepatitis C virus (HCV) were scanned by using 3 different PCR-based techniques in search of the most immunoreactive regions suitable for the development of a diagnostic test for the detection of anti-HCV in human sera. All PCR fragments were cloned with pGEX4-2T expression vector and expressed in *E. coli* as chimeric proteins with glutathione S-transferase. The most diagnostically relevant proteins identified in this study were then contructed into one recombinant antigen. The protein contains the HCV nucleocapsid, NS3 genotype 1b, NS4 genotype 1b and 1a,

E-mail: info@cellsciences.com

Website: www.cellsciences.com

and NS5 genotype 1b and 1a immunodominant regions.

Source: E. coli

Molecular Weight: 70 kDa

Formulation: 50 mM Na-PO4 + pH-8.5 + 2.4 mM EDTA + 5 mM DTT and 0.1% SDS.

Purity: HCV protein is >95% pure as determined by 10% PAGE (coomassie staining).

Purification Method: HCV protein was purified by proprietary chromatographic technique.

Specific Activity: Immunoreactive with sera of HCV-infected individuals.

Storage & Stability: HCV although stable at 4°C for 1 week, should be stored below -18°C.

Please prevent freeze thaw cycles.

Applications: HCV Antigen is suitable for ELISA and Western blots, excellent antigen for detection of

Toll Free: 888-769-1246

Phone: 781-828-0610

Fax: 781-828-0542

HCV with minimal specificity problems.

NOT FOR HUMAN USE. FOR RESEARCH ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.