cellsciences.com

Recombinant Hepatitis C Virus NS3 Genotype-2c (aa 1356 -1459)

Catalog No.	CSI15784A CSI15784B CSI15784C	Quantity:	100 μg 0.5 mg 1.0 mg
Description:	 HCV is a small 50 nm, enveloped, single-stranded, positive sense RNA virus in the family Flaviviridae. HCV has a high rate of replication with approximately one trillion particles produced each day in an infected individual. Due to lack of proofreading by the HCV RNA polymerase, the HCV has an exceptionally high mutation rate, a factor that may help it elude the host's immune response. Hepatitis C virus is classified into six genotypes (1-6) with several subtypes within each genotype. The preponderance and distribution of HCV genotypes varies globally. Genotype is clinically important in determining potential response to interferon-based therapy and the required duration of such therapy. Genotypes (2, 3, 5 and 6). The <i>E.coli</i> derived recombinant protein contains the HCV NS3 immunodominant regions, amino acids 1356-1459. 		
Source:	E. coli		
	1.5 M urea + 25 mM Tris-HCl pH-8,+ 0.2% Triton-X + 50% Glycerol.		
Formulation:	1.5 M urea + 25 mM Tris-HC	pH-8,+ 0.2% Triton-X + 50	0% Glycerol.
Formulation: Purity:			0% Glycerol. ined by 10% PAGE (coomassie
	HCV NS3 Genotype-2c prote staining).	in is >95% pure as determ	-
Purity:	HCV NS3 Genotype-2c prote staining).	in is >95% pure as determ in was purified by proprieta	ined by 10% PAGE (coomassie
Purity: Purification Method:	HCV NS3 Genotype-2c prote staining). HCV NS3 Genotype-2c prote Immunoreactive with sera of	in is >95% pure as determ in was purified by proprieta HCV-infected individuals. ugh stable at 4°C for 1 wea	ined by 10% PAGE (coomassie
Purity: Purification Method: Specific Activity:	HCV NS3 Genotype-2c prote staining). HCV NS3 Genotype-2c prote Immunoreactive with sera of HCV NS3 Genotype-2c altho	in is >95% pure as determ in was purified by proprieta HCV-infected individuals. ugh stable at 4°C for 1 wea cycles. en is suitable for ELISA an	ined by 10% PAGE (coomassie ary chromatographic technique. ek, should be stored below -18°C. d Western blots, excellent

Ô