cellsciences.com

Recombinant Hepatitis C Virus NS3 Genotype-5 (aa 1192 -1459)

Catalog No.	CSI15785A CSI15785B CSI15785C	Quantity:	100 μg 0.5 mg 1.0 mg
Description:	HCV is a small 50 nm, enveloped, single-stranded, positive sense RNA virus in the family Flaviviridae. HCV has a high rate of replication with approximately one trillion particles produced each day in an infected individual. Due to lack of proofreading by the HCV RNA polymerase, the HCV has an exceptionally high mutation rate, a factor that may help it elude the host's immune response. Hepatitis C virus is classified into six genotypes (1-6) with several subtypes within each genotype. The preponderance and distribution of HCV genotypes varies globally. Genotype is clinically important in determining potential response to interferon-based therapy and the required duration of such therapy. Genotypes (2, 3, 5 and 6). The <i>E.coli</i> derived recombinant protein contains the HCV NS3 immunodominant regions, amino acids 1192-1459.		
Source:	E. coli		
Formulation:	1.5 M urea + 25 mM Tris-HCl pH-8, + 0.2% Triton-X + 50% Glycerol.		
D "	HCV NS3 Genotype-5 protein is >95% pure as determined by 10% PAGE (coomassie staining).		,
Purity:		n is >95% pure as determir	
Purity: Purification Method:	staining).		
-	staining).	n was purified by proprieta	ned by 10% PAGE (coomassie
Purification Method:	staining). HCV NS3 Genotype-5 protein Immunoreactive with sera of	n was purified by proprietan HCV-infected individuals. gh stable at 4°C for 1 weel	ned by 10% PAGE (coomassie
Purification Method: Specific Activity:	staining). HCV NS3 Genotype-5 protein Immunoreactive with sera of HCV NS3 Genotype-5 althou	n was purified by proprietar HCV-infected individuals. gh stable at 4°C for 1 weel cycles. n in ELISA and Western bl	ned by 10% PAGE (coomassie ry chromatographic technique. k, should be stored below -18°C.

