

Recombinant HSV/Herpes Simplex Virus-1 gG (aa 84-175) GST

Catalog No. CSI15836A Quantity: 100 µg

CSI15836B 0.5 mg CSI15836C 1.0 mg

Description: Entry of HSV into the host cell involves interactions of several viral glycoproteins with cell

surface receptors. The virus particle is covered by an envelope which, when bound to specific receptors on the cell surface, will fuse with the cell membrane and create an opening, or pore, through which the virus enters the host cell. The sequential stages of HSV entry are analogous to those of other viruses. At first, complementary receptors on the virus and cell surface bring the two membranes into proximity. In an intermediate state, the two membranes begin to merge, forming a hemifusion state. Finally, a stable entry pore is formed through which the viral envelope contents are introduced to the host

cell.

The *E. coli* derived recombinant protein contains the HSV-1 gG immunodominant

regions, 84-175 amino acids and fused to a GST-Tag at C-terminus.

Source: E. coli

Formulation: (1 mg/ml) 25 mM Tris-HCl pH 7.2,+ 1 mM EDTA, and 50% glycerol.

Purity: HSV-1 gG protein is >95% pure as determined by 10% PAGE (coomassie staining).

Purification Method: HSV-1 gG was purified by proprietary chromatographic technique.

Specific Activity: Immunoreactive with sera of HSV-infected individuals.

Storage & Stability: HSV-1 gG protein although stable at 4°C for 1 week, should be stored below -18°C.

Toll Free: 888-769-1246

Phone: 781-828-0610

Fax: 781-828-0542

E-mail: info@cellsciences.com

Website: www.cellsciences.com

Please prevent freeze thaw cycles.

Applications: HSV-1 gG antigen is suitable for ELISA and Western blots, excellent antigen for

detection of HSV with minimal specificity problems.

NOT FOR HUMAN USE. FOR RESEARCH ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.