


Data Sheet

Product Name:	Ibotenic acid
Cat. No.:	CS-0020472
CAS No.:	2552-55-8
Molecular Formula:	C ₅ H ₆ N ₂ O ₄
Molecular Weight:	158.11
Target:	iGluR
Pathway:	Membrane Transporter/Ion Channel; Neuronal Signaling
Solubility:	H ₂ O : 6 mg/mL (37.95 mM; Need ultrasonic and warming)



BIOLOGICAL ACTIVITY:

Ibotenic acid has agonist activity at both the N-methyl-D-aspartate (**NMDA**) and trans-ACPD or metabotropic quisqualate (**Q_m**) receptor sites. IC₅₀ & Target: NMDA receptor^[1] **In Vitro:** Ibotenic acid (Ibo) is capable of acting at both NMDA and trans-ACPD receptors in the CNS, although only activation of NMDA receptors is involved in Ibo neurotoxicity. Ibotenic acid is toxic to cortical neurons exposed for 5 min with an EC₅₀=77.3±8 μM (n=5) as measured by release of lactate dehydrogenase to the culture media^[1].

References:

[1]. Zinkand WC, et al. Ibotenic acid mediates neurotoxicity and phosphoinositide hydrolysis by independent receptormechanisms. Mol Chem Neuropathol. 1992 Feb-Apr;16(1-2):1-10.

CAIndexNames:

5-Isoxazoleacetic acid, α-amino-2,3-dihydro-3-oxo-

SMILES:

O=C(O)C(N)C(ON1)=CC1=O

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 732-484-9848 Fax: 888-484-5008 E-mail: sales@ChemScene.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA