



# **Data Sheet**

Product Name: Lysozyme from chicken egg white

Cat. No.: CS-7671 CAS No.: 12650-88-3

Molecular Formula: N/A

Molecular Weight: N/A Lysozyme(chicken egg white)

Target: Bacterial Pathway: Anti-infection

Solubility: H2O: 10 mg/mL (Need ultrasonic and warming)

### **BIOLOGICAL ACTIVITY:**

Lysozyme from chicken egg white is a **bactericidal** enzyme present in chicken eggs, and it lyses gram-positive bacteria. IC50 & Target: Bacteria<sup>[1]</sup> **In Vitro**: Lysozyme is an ubiquitous enzyme. The hen egg is the most abundant source of lysozyme, which constitutes approximately 3.4% of the albumen proteins. Lysozyme is a natural antimicrobial that hydrolyzes the  $\beta(1-4)$  glycosidic linkage between N-acetylmuramic acid and N-acetylglucosamine found in the peptidoglycan layer of the bacterial cell wall and causing cell lysis. The bactericidal effect of lysozyme is primarily limited to gram-positive bacteria, including pathogens such as Listeria monocytogenes and certain Clostridium species as well as some spoilage organisms, including thermophilic spore-forming bacteria and certain yeasts. The gram-negative bacteria are more resistant to lysozyme action because of their complex cell wall structure<sup>[1]</sup>.

# PROTOCOL (Extracted from published papers and Only for reference)

Kinase Assay: <sup>[1]</sup>For measurement of lytic activity in egg white at each pH, temperature, and CO<sub>2</sub> condition, eggs are randomly selected from a flat of eggs (2 dozen eggs) obtained from a local grocery store. To determine the amount of egg white to be added to obtain a 0.001% lysozyme concentration, it is documented that chicken egg white contains approximately 3.4% lysozyme. For determining egg white activity, 0.030 g of albumen was added to 100 mL of the buffered solutions. This equated to a concentration of approximately 0.001% lysozyme. In addition, the egg white contains other antimicrobial proteins that are naturally present, as mentioned in the Introduction section<sup>[1]</sup>.

## References:

[1]. Banerjee P, et al. Influence of carbon dioxide on the activity of chicken egg white lysozyme. Poult Sci. 2011 Apr;90(4):889-95.

#### **CAIndexNames:**

Lysozyme (chicken egg white)

#### **SMILES:**

[Lysozyme(chicken egg white)]

Caution: Product has not been fully validated for medical applications. For research use only.

Tel: 732-484-9848 Fax: 888-484-5008 E-mail: sales@ChemScene.com

Address: 1 Deer Park Dr, Suite Q, Monmouth Junction, NJ 08852, USA

Page 1 of 1 www.ChemScene.com