## International Application No.: PCT/JP2012/083612

### MONOCLONAL ANTIBODY

For research use only, Not for diagnostic use.

Catalog No. SHI-EXO-M03

# Anti CD81 [ Clone : 12C4]

### **BACKGROUND**

CD81 (TAPA-1) is a cell surface protein which belongs to the tetraspanin superfamily. CD81 is identified as a component of the B lymphocyte receptor (BCR) and as a receptor for the Hepatitis C Virus.

Product type Primary antibody

Immunogen Human CD81 (a.a 36-54)

Rased in Mouse

Myeloma 
Clone number 12C4

Isotype IgG2a

Source Culture supernatant

**Purification** Affinity purified by Protein G

**Buffer** Phosphate buffered saline containing 0.1% NaN<sub>3</sub> as a preservative

Concentration1 mg / mLVolume100 uLLabelUnlabeledSpecificityHuman CD81

Reactivity Human and Bovine. No cross-reactivity with Rat and Mouse; Other species are not

tested.

Storage Store below - 40°C

Aliquot to avoid cycles of freeze/thaw.

Application notes
Recommended
dilutions

• Western blotting: 1/500 - 1/2,000 (0.5 - 2ug/mL, non-reductive condition)

Immunoprecipitation: 1/200 – 1/1,000 (1- 5ug/mL)

\* Experiment example : Serum and Culture supernatant Exosome

Flow cytometry: 1/100~1/1,000 (1-10ug/mL)

• Immunofluorescence:  $1/100 \sim 1/1,000 (1-10 \text{ug/mL})$ 

Electron microscopy

Other applications have not been tested.

Optimal dilutions/concentrations should be determined by the end user.

References

Takahashi A et al., Nat Commun. 2017 May 16;8:15287. PMID: <u>28508895</u>

Somiya M et al., J Extracell Vesicles. 2018 Feb 21;7(1):1440132. PMID: 29511463

### **ANTIBODY CHARACTERIZATION**




Fig.1 Western blot analysis of CD81 in C32 cell Exosome with anti-CD81 (12C4) antibody






Fig.2 Immunoprecipitation in Human serum exosome






### Sample

- 1. Anti-CD81 (12C4)
- 2. Control antibody
- 3. C32 cell Exosome (0.4 ug)

Fig.3 Immunoprecipitation in C32 cell (Melanoma cell line) Exosome

# Protocol Sample C32 cell Exosome 2 ug + Anti-CD81(12C4) 1ug (Solid phase Magnetic bead) PBS+1%BSA 200uL(Total) Rotated at 4°C o/n



Denatured by heating

SDS-PAGE (3uL) WB (Anti-CD81(12C4) : 1ug/mL)

For research use only, Not for diagnostic use.



COSMO BIO CO., LTD.

[JAPAN]

TOYO EKIMAE BLDG. 2-20, TOYO 2-CHOME, KOTO-KU. TOKYO 135-0016, JAPAN

Phone: +81-3-5632-9610 FAX: +81-3-5632-9619

URL: https://www.cosmobio.co.jp/



COSMO BIO USA

[Outside Japan] 2792 Loker Ave West, Suite 101 Carlsbad, CA 92010, USA email: info@cosmobiousa.com Phone/FAX: (+1) 760-431-4600 URL: www.cosmobiousa.com