


Active Recombinant Mouse Bcl2l1 protein(Met1-Arg212), His-tagged

Cat. No. Bcl2l1-6871M **Lot. No.** (See product label)

SPECIFICATION	
similar	Bcl2l1
Alias	BCL2L1; BCL2-like 1; bcl-2-like protein 1; bcl2-L-1; apoptosis regulator Bcl-X; B-cell leukemia/lymphoma x; anti-apoptosis regulatory protein; BclX; Bcl2l; bcl-x; Bcl-XL; Bcl-Xs; Bcl(X)L; MGC99998; MGC113803;
Product Overview	Recombinant Mouse Bcl2l1 protein(Q64373-1)(Met1-Arg212), fused with C-terminal His tag, was expressed in E. coli.
Source	E. coli
Species	Mouse
Conjugate	C-His
Tag	C-His
Protein length	Met1-Arg212
Form	Lyophilized from sterile PBS, pH 7.5. Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization.
MolecularMass	The recombinant mouse BCL2L1 comprises 222 amino acids and has a calculated molecular mass of 25.2 kDa. It migrates as an approximately 33 kDa band in SDS-

 Tel: 1-631-559-9269 1-516-512-3133


 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

	PAGE under reducing conditions.
Endotoxin	< 1.0 EU per µg protein as determined by the LAL method.
Purity	> 95 % as determined by SDS-PAGE
Storage	Samples are stable for up to twelve months from date of receipt at -20°C to -80°C. Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.
Reconstitution	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 ug/ul. Centrifuge the vial at 4°C before opening to recover the entire contents.
GeneName	Bcl2l1 BCL2-like 1 [Mus musculus]
GeneNameWeblink	12048
OfficialSymbol	Bcl2l1
OfficialSymbolWeblink	12048
GenelD	12048
GenelDWeblink	12048
mRNARefseq	NM_009743
mRNARefseqWeblink	NM_009743.4
ProteinRefseqWeblink	NP_033873.3


 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127


 45-1 Ramsey Road, Shirley, NY 11967, USA

Synonyms

BCL2L1; BCL2-like 1; bcl-2-like protein 1; bcl2-L-1; apoptosis regulator Bcl-X; B-cell leukemia/lymphoma x; anti-apoptosis regulatory protein; BclX; Bcl2l; bcl-x; Bcl-XL; Bcl-Xs; Bcl(X)L; MGC99998; MGC113803;

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA