

## Active Recombinant Human CD244, His tagged

**Cat. No.** CD244-903H    **Lot. No.** (See product label)

### SPECIFICATION

<b>Product Overview</b>	Recombinant Human CD244 (NP_057466.1) extracellular domain (Met 1-Arg 221), fused with a polyhistidine tag at the C-terminus, was produced in Human Cell.
<b>Species</b>	Human
<b>Source</b>	HEK293
<b>ProteinLength</b>	Met 1-Arg 221
<b>Form</b>	Lyophilized from sterile 50 mM Tris, pH 8.0. Normally 5 % - 8 % trehalose, mannitol and 0.01% Tween80 are added as protectants before lyophilization.
<b>Bio-activity</b>	Measured by its binding ability in a functional ELISA . Immobilized human 2B4 at 2 µg/ml (100 µl/well) can bind human CD48. The EC50 of human CD48 is 0.39 µg/ml .
<b>Molecular Mass</b>	The recombinant 2B4 comprises 211 amino acids and predicts a molecular mass of 23.8 kDa. As a result of glycosylation, the rh 2B4 protein migrates as an approximately 45-50 kDa band in SDS-PAGE under reducing conditions.
<b>Endotoxin</b>	< 1.0 EU per µg protein as determined by the LAL method.
<b>Purity</b>	> 95 % as determined by SDS-PAGE
<b>Storage</b>	Samples are stable for up to twelve months from date of receipt at -20°C to -80°C

 Tel: 1-631-559-9269    1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)     Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

Store it under sterile conditions at -20°C to -80°C. It is recommended that the protein be aliquoted for optimal storage. Avoid repeated freeze-thaw cycles.

**Reconstitution**

It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 ug/ul. Centrifuge the vial at 4°C before opening to recover the entire contents.

## GENE INFORMATION

**Gene Name** [CD244 CD244 molecule, natural killer cell receptor 2B4 \[ Homo sapiens \]](#)

**Official Symbol** [CD244](#)

**Synonyms**

CD244; CD244 molecule, natural killer cell receptor 2B4; CD244 natural killer cell receptor 2B4 , natural killer cell receptor 2B4; natural killer cell receptor 2B4; 2B4; NAIL; NKR2B4; Nmrk; SLAMF4; h2B4; NK cell activation-inducing ligand; NK cell type I receptor protein 2B4; NK cell activation inducing ligand NAIL;


**Gene ID** [51744](#)

**mRNA Refseq** [NM\\_001166663](#)


**Protein Refseq** [NP\\_001160135](#)

**MIM** [605554](#)

**UniProt ID** [Q9BZW8](#)

 Tel: 1-631-559-9269 1-516-512-3133

 Email: [info@creative-biomart.com](mailto:info@creative-biomart.com)  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA