

Recombinant Swine IL-12 p40

Cat. No. IL12B-84S **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Swine IL-12/IL-23 p40 was produced in yeast and therefore does not have endotoxin, is naturally folded, and post-translationally modified.
Description	IL-12 is a member of the IL-12 family, which includes IL-12, IL-23, IL-27, and IL-35. Like other IL-12 family members, IL-12 is a heterodimeric cytokine. IL-12 is encoded by two separate genes, IL-12A (p35) and IL-12B (p40). The active heterodimer, and a homodimer of p40 are formed following protein synthesis. IL-12 is involved in the differentiation of naive T cells into Th1 cells. It is known as a T cell-stimulating factor, which can stimulate the growth and function of T cells. It stimulates the production of IFN-gamma and TNF-alpha from T and natural killer (NK) cells, and reduces IL-4 mediated suppression of IFN-gamma.
Source	Yeast
Species	Swine
Form	Lyophilized
Molecular Mass	34.3 kDa
AA Sequence	IWELEKNVYV VELDWYPNAP GEMVVLTCNT PEEDGITWTS DQSSEVLGTG KTLTIHVKEF GDAGQYTCKR GGAVLSQSLL LLHKKEDGIW STDILKDQKE PKNKSFLKCE AKNYSGRFTC WWLTAISTDL KFSVKSSRGS TDPRGVTCGT ATLSEDLGEY KKRYRVECQEG SACPAAEESL PIEVVLEAVH KLKYENYTSS FFIRDIKPD PPKNLQLNPL KNSRHVEISW EYPDTWSTPH SYFSLMFGVQ

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

1/2

For Research Use Only

VQGKNKREKK DKLFTDQISA KVTCHKDANI RVQARDRYYS SSWSEWASVS CN
(302)

Applications The Swine IL-12/IL-23 p40 protein can be used in cell culture, as an IL-12/IL-23 p40 ELISA Standard, and as a Western Blot Control.

Storage -20 C

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

2/2

For Research Use Only