

Active Recombinant Human TNFSF11 protein, Avi-Fc-tagged, Biotinylated

Cat. No. TNFSF11-209H **Lot. No.** (See product label)

SPECIFICATION

Product Overview	Biotinylated Recombinant Human TNFSF11 protein(Gly 64 - Asp 245), fused with Avi-Fc tag, was expressed in HEK293.
Species	Human
Source	HEK293
ProteinLength	Gly 64 - Asp 245
Form	Lyophilized from 0.22 µm filtered solution in PBS, pH7.4, 10% trehalose.
Bio-activity	Immobilized Human RANK, Mouse IgG2a Fc Tag, low endotoxin at 0.5 µg/mL (100 µL/well) can bind Biotinylated Human TNFSF11, Avitag,Fc Tag with a linear range of 0.4-13 ng/mL. Immobilized Human OPG, Fc Tag at 2 µg/mL (100 µL/well) can bind Biotinylated Human TNFSF11, Avitag,Fc Tag with a linear range of 0.3-10 ng/mL.
Molecular Mass	This protein carries an Avi tag (Avitag) at the N-terminus, followed by a human IgG1 Fc tag. The protein has a calculated MW of 49.2 kDa. The protein migrates as 55-60 kDa under reducing (R) condition (SDS-PAGE) due to glycosylation.
Endotoxin	Less than 1.0 EU per µg by the LAL method.
Purity	>90% as determined by SDS-PAGE.

 Tel: 1-631-559-9269 1-516-512-3133

 Email: info@creative-biomart.com  Fax: 1-631-938-8127

 45-1 Ramsey Road, Shirley, NY 11967, USA

1/2

For Research Use Only

Storage	For long term, the product should be stored at lyophilized state at -20°C or lower. Please avoid repeated freeze-thaw cycles. This product is stable after at: -20°C to -70°C for 12 months in lyophilized state; -70°C for 3 months under sterile conditions after reconstitution.
Reconstitution	It is recommended that sterile water be added to the vial to prepare a stock solution of 0.2 ug/ul. Centrifuge the vial at 4°C before opening to recover the entire contents.
Conjugation	Biotin
GENE INFORMATION	
Gene Name	TNFSF11 tumor necrosis factor (ligand) superfamily, member 11 [Homo sapiens]
Official Symbol	TNFSF11
Synonyms	TNFSF11; tumor necrosis factor (ligand) superfamily, member 11; tumor necrosis factor ligand superfamily member 11; CD254; ODF; OPGL; RANKL; TRANCE; osteoprotegerin ligand; osteoclast differentiation factor; TNF-related activation-induced cytokine; receptor activator of nuclear factor kappa B ligand; receptor activator of nuclear factor kappa-B ligand; sOdf; OPTB2; hRANKL2;
Gene ID	8600
mRNA Refseq	NM_003701
Protein Refseq	NP_003692
MIM	602642
UniProt ID	O14788