



Anti-IL2RA monoclonal antibody, clone OX-39 [R-PE] (CABT-48042MR)

This product is for research use only and is not intended for diagnostic use.

PRODUCT INFORMATION

Droduct	Overview	

Mouse anti Rat CD25 antibody, clone OX-39 recognizes the alpha chain of rat CD25, otherwise known as IL-2 receptor alpha, a 55kDa type I membrane glycoprotein, expressed by activated T cells but not resting lymphocytes. CD25 is also expressed by dendritic cells found in the thymus medulla. Mouse anti Rat CD25 antibody, clone OX-39 has been described reacting with paraffin- embedded material following PLP fixation (periodate-lysine-paraformaldehyde). Mouse anti Rat CD25 antibody, clone OX-39 has been shown to weakly inhibit the binding of IL-2 to Con-A stimulated spleen blasts. Flow Cytometry Use 10ul of the suggested working dilution to label 106 cells in 100ul.

Specificity	CD25
Immunogen	Stimulated Rat T cells
Isotype	IgG1
Source/Host	Mouse
Species Reactivity	Rat
Clone	OX-39
Conjugate	PE
Applications	FC
Format	Purified IgG conjugated to R. Phycoerythrin (RPE) - lyophilised
Size	100 tests
Preservative	0.09% Sodium Azide

45-1 Ramsey Road, Shirley, NY 11967, USA

Tel: 1-631-624-4882 Fax: 1-631-938-8221

Email: info@creative-diagnostics.com

© Creative Diagnostics All Rights Reserved

Storage

Store at +4°C. DO NOT FREEZE. This product should be stored undiluted. This product is photosensitive and should be protected from light. Should this product contain a precipitate we recommend microcentrifugation before use.

GENE INFORMATION

Gene Name	Il2ra interleukin 2 receptor, alpha [Rattus norvegicus (Norway rat)]
Official Symbol	IL2RA
Synonyms	IL2RA; interleukin 2 receptor, alpha; IL2RAC; interleukin-2 receptor subunit alpha; IL2-RA; IL-2-RA; IL-2R subunit alpha; IL-2 receptor alpha subunit; IL-2 receptor subunit alpha; interleukin-2 receptor alpha chain; interleukin 2 receptor, alpha chain; CD
Entrez Gene ID	25704
Protein Refseq	NP 037295
UniProt ID	P26897
Chromosome Location	17q12.3
Pathway	Cytokine Signaling in Immune system; Cytokine-cytokine receptor interaction; Endocytosis; G beta:gamma signalling through PI3Kgamma; G-protein beta:gamma signalling; GPCR downstream signaling; GPVI-mediated activation cascade; HTLV-I infection;
Function	drug binding; interleukin-2 binding; interleukin-2 receptor activity;