



## Anti-ICAM2 monoclonal antibody, clone CBRIC2/2 [Biotin] (CABT-50444MH)

This product is for research use only and is not intended for diagnostic use.

## PRODUCT INFORMATION

Product Overview	Mouse anti Human CD102 antibody, clone CBRIC2/2 recognizes human CD102, also known as
	intercellular adhesion molecule-2 (ICAM-2). CD102 is a glycosylated cell surface protein that is

broadly expressed on most leucocytes and is strongly expressed by endothelial cells. CD102 interacts with the CD11a/CD18 (LFA-1). Reports suggest that the CD102 may play a role in lymphocyte re-circulation and T-cell activation. Mouse anti Human CD102 antibody, clone CBRIC2/2 is reported to inhibit interactions between CD102 and LFA-1. Flow Cytometry Use

10ul of the suggested working dilution to label 106cells in 100ul.

Specificity	ICAM2
Immunogen	Transfected COS cells expressing ICAM-2 cDNA
Isotype	lgG2a
Source/Host	Mouse
Species Reactivity	Human
Clone	CBRIC2/2
Conjugate	Biotin
Applications	FC
Format	Purified IgG conjugated to Biotin - liquid
Size	100 μg
Preservative	See individual product datasheet
Storage	in frost-free freezers is not recommended. Avoid repeated freezing and thawing as this may

45-1 Ramsey Road, Shirley, NY 11967, USA

Email: info@creative-diagnostics.com

Tel: 1-631-624-4882 Fax: 1-631-938-8221

denature the antibody. Should this product contain a precipitate we recommend microcentrifugation before use.

## **GENE INFORMATION**

Function	integrin binding;
Pathway	Adaptive Immune System; Cell adhesion molecules (CAMs); Extracellular matrix organization; Immune System; Immunoregulatory interactions between a Lymphoid and a non-Lymphoid cell; Integrin cell surface interactions; Natural killer cell mediated cytotoxicity; amb2 Integrin signaling;
Chromosome Location	17q23.3
UniProt ID	P13598
Protein Refseq	NP 000864
Entrez Gene ID	<u>3384</u>
Synonyms	ICAM2; intercellular adhesion molecule 2; CD102; ICAM-2;
Official Symbol	ICAM2
Gene Name	ICAM2 intercellular adhesion molecule 2 [ Homo sapiens (human) ]