



## Anti-Histone H3 (di methyl K79) polyclonal antibody (CABT-BL6100)

This product is for research use only and is not intended for diagnostic use.

## PRODUCT INFORMATION

Immunogen	A synthetic peptide of human DiMethyl-Histone H3-K79
Isotype	IgG
Source/Host	Rabbit
Species Reactivity	Human, Mouse, Rat, Other (Wide, range)
Purification	Affinity purification
Conjugate	Unconjugated
Applications	WB; IHC; IF; IP; CHIP; CHIPseq
Molecular Weight	16kDa
Format	Liquid
Size	100 μΙ
Buffer	PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
Preservative	0.02% Sodium Azide
Storage	Store at -20°C. Avoid freeze / thaw cycles.

## **BACKGROUND**

Introduction Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Nucleosomes consist of approximately 146 bp of DNA

45-1 Ramsey Road, Shirley, NY 11967, USA

Email: info@creative-diagnostics.com

Tel: 1-631-624-4882 Fax: 1-631-938-8221

wrapped around a histone octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene is intronless and encodes a member of the histone H3 family. Transcripts from this gene lack polyA tails; instead, they contain a palindromic termination element. This gene is located separately from the other H3 genes that are in the histone gene cluster on chromosome 6p22-p21.3.

## **GENE INFORMATION**

Entrez Gene ID	<u>8290</u>
UniProt ID	<u>Q16695</u>