

Bacitracin, KLH-conjugate

DAG4480 chemosynthetic Lot. No. (See product label)

PRODUCT INFORMATION

Product overview Bacitracin, KLH-conjugate

Description The bacitracin zinc salt and KLH (keyhole limpet hemocyanin) (10 mg each) are conjugated by EDC

method in 0.1 M MES pH 5.0. One or more of the three amine groups in the bacitracin are directly

linked to carboxyl group(s) in the KLH without any linker by E

Species chemosynthetic

Conjugate KLH

Applications The bacitracin, KLH-conjugate has been successfully used as an immunogen in inducing bacitracin

specific antibodies in mice.

Usage Used as immunogen for the generation of anti-bacitracin antibodies.

Notes for research use only

PACKAGING

Storage Keep below -20°C for up to 1 year. Avoid repeated freeze-and-thaw. For short term storage (< 3

weeks) keep at 4°C.

ConcentrationApproximately 2.0 mg/mlBufferKLH(in 20 mM PBS, pH 7.4)

BACKGROUND

IntroductionBacitracin is a mixture of related cyclic polypeptides produced by organisms of the licheniformis group of Bacillus subtilis var Tracy, isolation of which was first reported in 1945. As a toxic and difficult-to-use

of Bacillus subtilis var I racy, isolation of which was first reported in 1945. As a toxic and difficult-to-use antibiotic, bacitracin does not work well orally. However, it is very effective topically, and is a common ingredient of eye and skin antibiotic preparations. Its action is on Gram-positive cell walls. It can cause contact dermatitis and cross-reacts with allergic sensitivity to sulfa-drugs. When given intramuscularly, bacitracin's absorption is rapid and complete, but its nephrotoxicity (kidney damage potential) has limited its use to infants only, and then in very specific circumstances. In 2010 it was approved by the US FDA by this route for the very narrow indication of treatment of infants with staphylococcal pneumonia and empyema when due to organisms shown to be susceptible to bacitracin. It can only be

used where adequate laboratory facilities are available for checking the drug"s concentration in blood.

Keywords ayfivin; baciguent; baciliquin; bacitekointment; mycitracinpluspainreliever; penitracin; Ginebatin;

Bacitracin

REFERENCES

1. Johnson B, Anker H, Meleney F (1945). "Bacitracin: a new antibiotic produced by a member of the B. subtilis group". Science 102 (2650): 376–377.