



Rifampicin [BSA] (DAG5617)

This product is for research use only and is not intended for diagnostic use.

PRODUCT INFORMATION

Antigen Description R	ifa

Rifampicin is an antibiotic used to treat several types of bacterial infections, including tuberculosis, Mycobacterium avium complex, leprosy, and Legionnaires'disease. It inhibits bacterial DNA-dependent RNA synthesis by inhibiting bacterial DNA-dependent RNA polymerase. It prevents RNA synthesis by physically blocking elongation, and thus preventing synthesis of host bacterial proteins. By this "steric-occlusion" mechanism, rifampicin blocks synthesis of the second or third phosphodiester bond between the nucleotides in the RNA backbone, preventing elongation of the 5' end of the RNA transcript past more than 2 or 3 nucleotides.

Species	N/A
Conjugate	BSA
Applications	The antigen can be used in ELISA assay.
Format	Liquid
Concentration	Batch dependent - please inquire should you have specific requirements.
Size	1 mg
Buffer	0.01M pH7.4 PBS
Storage	Shipped at 4°C. Upon delivery aliquot and store at -20°C. Avoid freeze / thaw cycles.

45-1 Ramsey Road, Shirley, NY 11967, USA

Tel: 1-631-624-4882 Fax: 1-631-938-8221