





## Recombinant Human Interferon-induced protein with tetratricopeptide repeats 3(IFIT3)

processes, cell migration, proliferation, signaling, and viral replication MAVS-mediated host antiviral responses by serving as an adapter TBK1 to MAVS which leads to the activation of TBK1 and phosphor IRF3 and phosphorylated IRF3 translocates into nucleus to promote gene transcription. Exihibits an antiproliferative activity via the up-recell cycle negative regulators CDKN1A/p21 and CDKN1B/p27. Norn CDKN1B/p27 turnover is regulated by COPS5, which binds CDKN1 nucleus and exports it to the cytoplasm for ubiquitin-dependent deg IFIT3 sequesters COPS5 in the cytoplasm, thereby increasing nucle CDKN1B/p27 protein levels. Upregulates CDKN1A/p21 by downreg a repressor of CDKN1A/p21. Can negatively regulate the apoptotic IFIT2.  Storage The shelf life is related to many factors, storage state, buffer ingredigation storage temperature and the stability of the protein itself. Generally, of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilizer months at -20°C/-80°C.  Uniprot No. O14879  Storage Buffer Tris-based buffer,50% glycerol  Alias CIG49ISG-60Interferon-induced 60 kDa protein ;IFI-60KInterferon-in protein with tetratricopeptide repeats 4 ;IFIT-4Retinoic acid-induced protein ;P60 ;RIG-G  Product Type Recombinant Protein  Species Homo sapiens (Human)  Purity Greater than 90% as determined by SDS-PAGE.  Sequence MSEVTKNSLEKILPQLKCHFTWNLFKEDSVSRDLEDRVCNQIEFLI YNLLAYIKHLDGNNEAALECLRQAEELIQQEHADQAEIRSLVTWGf LGRLSDAQIYVDKVKQTCKKFSNPYSIEYSELDCEEGWTQLKCGF EKALEEKPNNPEFSSGLAIAMYHLDNHPEKQFSTDVLKQAIELSPEGLKLQKMNKEAEGEQFVEEALEKSPCQTDVLRSAAKFYRRKGDL VLESTPNNGYLYHQIGCCYKAKVRQMQNTGESEASGNKEMIEAL NKALEKGLNPLNAYSDLAEFLETECYQTPNKEVPDAEKQQSHQI NGKSEDTAVQHGLEGLSISKKSTDKEEIKDQPQNVSENLLPQNAP IHKQNGDLLQAAKCYEKELGRLLRDAPSGIGSIFLSASELEDGSEE SSPRELLSNSEQLN  Immunology		
processes, cell migration, proliferation, signaling, and viral replication MAVS-mediated host antiviral responses by serving as an adapter to TBK1 to MAVS which leads to the activation of TBK1 and phosphor IRF3 and phosphorylated IRF3 translocates into nucleus to promote gene transcription. Exihibits an antiproliferative activity via the up-recell cycle negative regulators CDKN1A/p21 and CDKN1B/p27. Norn CDKN1B/p27 turnover is regulated by COPS5, which binds CDKN1 nucleus and exports it to the cytoplasm for ubiquitin-dependent deg IFIT3 sequesters COPS5 in the cytoplasm, thereby increasing nucle CDKN1B/p27 protein levels. Upregulates CDKN1A/p21 by downreg a repressor of CDKN1A/p21. Can negatively regulate the apoptotic IFIT2.  Storage The shelf life is related to many factors, storage state, buffer ingredigation storage temperature and the stability of the protein itself. Generally, of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilizer months at -20°C/-80°C.  Uniprot No. O14879  Storage Buffer Tris-based buffer,50% glycerol  Alias CIG49ISG-60Interferon-induced 60 kDa protein ;IFI-60KInterferon-in protein with tetratricopeptide repeats 4 ;IFIT-4Retinoic acid-induced protein ;P60 ;RIG-G  Product Type Recombinant Protein  Species Homo sapiens (Human)  Purity Greater than 90% as determined by SDS-PAGE.  Sequence MSEVTKNSLEKILPQLKCHFTWNLFKEDSVSRDLEDRVCNQIEFLI YNLLAYIKHLDGNNEAALECLRQAEELIQQEHADQAEIRSLVTWGf LGRLSDAQIYVDKVKQTCKKFSNPYSIEYSELDCEEGWTQLKCGF EKALEEKPNNPEFSSCLAIAMYHLDNH-PEKQFSTDVLKQAIELSPE GLKLQKMNKEAEGEQFVEEALEKSPCQTDVLRSAAKFYRRKGDL VLESTPNNGYLYHQIGCCYKAKVRQMQNTGESEASGNKEMISALL NKALEKGLNPLNAYSDLAEFLETECYQTPNKEVPDAEKQQSHQI NGKSEDTAVQHGLEGLSISKKSTDKEEIKDQPQNVSENLLPQNAP IHKQNGDLLQAAKCYEKELGRLLRDAPSGIGSIFLSASELEDGSEE SSPRELLSNSEQLN  Immunology	Product Code	CSB-EP011022HU
storage temperature and the stability of the protein itself. Generally, of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized months at -20°C/-80°C.  Uniprot No.  O14879  Storage Buffer  Tris-based buffer,50% glycerol  Alias  CIG49ISG-60Interferon-induced 60 kDa protein;IFI-60KInterferon-in protein with tetratricopeptide repeats 4;IFIT-4Retinoic acid-induced protein;P60;RIG-G  Product Type  Recombinant Protein  Species  Homo sapiens (Human)  Purity  Greater than 90% as determined by SDS-PAGE.  Sequence  MSEVTKNSLEKILPQLKCHFTWNLFKEDSVSRDLEDRVCNQIEFLITYNLLAYIKHLDGNNEAALECLRQAEELIQQEHADQAEIRSLVTWGNLGRLSDAQIYVDKVKQTCKKFSNPYSIEYSELDCEEGWTQLKCGFEKALEEKPNNPEFSSGLAIAMYHLDNHPEKQFSTDVLKQAIELSPEGLKQKMNKEAEGEQFVEEALEKSPCQTDVLRSAAKFYRRKGDLVLESTPNNGYLYHQIGCCYKAKVRQMQNTGESEASGNKEMIEALINKALEKGLNPLNAYSDLAEFLETECYQTPFNKEVPDAEKQQSHQINGKSEDTAVQHGLEGLSISKKSTDKEEIKDQPQNVSENLLPQNAPIHKQNGDLLQAAKCYEKELGRLLRDAPSGIGSIFLSASELEDGSEESPRELLSNSEQLN  Research Area  Immunology	Relevance	IFN-induced antiviral protein which acts as an inhibitor of cellular as well as viral processes, cell migration, proliferation, signaling, and viral replication. Enhances MAVS-mediated host antiviral responses by serving as an adapter bridging TBK1 to MAVS which leads to the activation of TBK1 and phosphorylation of IRF3 and phosphorylated IRF3 translocates into nucleus to promote antiviral gene transcription. Exihibits an antiproliferative activity via the up-regulation of cell cycle negative regulators CDKN1A/p21 and CDKN1B/p27. Normally, CDKN1B/p27 turnover is regulated by COPS5, which binds CDKN1B/p27 in the nucleus and exports it to the cytoplasm for ubiquitin-dependent degradation. IFIT3 sequesters COPS5 in the cytoplasm, thereby increasing nuclear CDKN1B/p27 protein levels. Upregulates CDKN1A/p21 by downregulating MYC, a repressor of CDKN1A/p21. Can negatively regulate the apoptotic effects of IFIT2.
Storage Buffer  Tris-based buffer,50% glycerol  CIG49ISG-60Interferon-induced 60 kDa protein ;IFI-60KInterferon-in protein with tetratricopeptide repeats 4 ;IFIT-4Retinoic acid-induced protein ;P60 ;RIG-G  Product Type  Recombinant Protein  Species  Homo sapiens (Human)  Purity  Greater than 90% as determined by SDS-PAGE.  Sequence  MSEVTKNSLEKILPQLKCHFTWNLFKEDSVSRDLEDRVCNQIEFLING YNLLAYIKHLDGNNEAALECLRQAEELIQQEHADQAEIRSLVTWGN LGRLSDAQIYVDKVKQTCKKFSNPYSIEYSELDCEEGWTQLKCGGE EKALEEKPNNPEFSSGLAIAMYHLDNHPEKQFSTDVLKQAIELSPEGLKLQKMNKEAEGEQFVEEALEKSPCQTDVLRSAAKFYRRKGDL VLESTPNNGYLYHQIGCCYKAKVRQMQNTGESEASGNKEMIEALINKALEKGLNPLNAYSDLAEFLETECYQTPFNKEVPDAEKQQSHQINGKSEDTAVQHGLEGLSISKKSTDKEEIKDQPQNVSENLLPQNAPIHKQNGDLLQAAKCYEKELGRLLRDAPSGIGSIFLSASELEDGSEESSPRELLSNSEQLN  Research Area  Immunology	Storage	The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.
Alias  CIG49ISG-60Interferon-induced 60 kDa protein ;IFI-60KInterferon-in protein with tetratricopeptide repeats 4 ;IFIT-4Retinoic acid-induced protein ;P60 ;RIG-G  Product Type  Recombinant Protein  Species  Homo sapiens (Human)  Purity  Greater than 90% as determined by SDS-PAGE.  Sequence  MSEVTKNSLEKILPQLKCHFTWNLFKEDSVSRDLEDRVCNQIEFLITYNLLAYIKHLDGNNEAALECLRQAEELIQQEHADQAEIRSLVTWGNLGRLSDAQIYVDKVKQTCKKFSNPYSIEYSELDCEEGWTQLKCGFEKALEEKPNNPEFSSGLAIAMYHLDNHPEKQFSTDVLKQAIELSPEGLKLQKMNKEAEGEQFVEEALEKSPCQTDVLRSAAKFYRRKGDLVLESTPNNGYLYHQIGCCYKAKVRQMQNTGESEASGNKEMIEALNKALEKGLNPLNAYSDLAEFLETECYQTPFNKEVPDAEKQQSHQINGKSEDTAVQHGLEGLSISKKSTDKEEIKDQPQNVSENLLPQNAPIHKQNGDLLQAAKCYEKELGRLLRDAPSGIGSIFLSASELEDGSEESSPRELLSNSEQLN  Research Area  Immunology	Uniprot No.	O14879
protein with tetratricopeptide repeats 4 ;IFIT-4Retinoic acid-induced protein ;P60 ;RIG-G  Product Type Recombinant Protein  Species Homo sapiens (Human)  Purity Greater than 90% as determined by SDS-PAGE.  Sequence MSEVTKNSLEKILPQLKCHFTWNLFKEDSVSRDLEDRVCNQIEFLY YNLLAYIKHLDGNNEAALECLRQAEELIQQEHADQAEIRSLVTWGN LGRLSDAQIYVDKVKQTCKKFSNPYSIEYSELDCEEGWTQLKCGF EKALEEKPNNPEFSSGLAIAMYHLDNHPEKQFSTDVLKQAIELSPEGLKLQKMNKEAEGEQFVEEALEKSPCQTDVLRSAAKFYRRKGDL VLESTPNNGYLYHQIGCCYKAKVRQMQNTGESEASGNKEMIEALINKALEKGLNPLNAYSDLAEFLETECYQTPFNKEVPDAEKQQSHQNNGKSEDTAVQHGLEGLSISKKSTDKEEIKDQPQNVSENLLPQNAPIHKQNGDLLQAAKCYEKELGRLLRDAPSGIGSIFLSASELEDGSEESSPRELLSNSEQLN  Research Area Immunology	Storage Buffer	Tris-based buffer,50% glycerol
Species Homo sapiens (Human)  Purity Greater than 90% as determined by SDS-PAGE.  Sequence MSEVTKNSLEKILPQLKCHFTWNLFKEDSVSRDLEDRVCNQIEFLI YNLLAYIKHLDGNNEAALECLRQAEELIQQEHADQAEIRSLVTWGN LGRLSDAQIYVDKVKQTCKKFSNPYSIEYSELDCEEGWTQLKCGF EKALEEKPNNPEFSSGLAIAMYHLDNHPEKQFSTDVLKQAIELSPE GLKLQKMNKEAEGEQFVEEALEKSPCQTDVLRSAAKFYRRKGDL VLESTPNNGYLYHQIGCCYKAKVRQMQNTGESEASGNKEMIEALI NKALEKGLNPLNAYSDLAEFLETECYQTPFNKEVPDAEKQQSHQI NGKSEDTAVQHGLEGLSISKKSTDKEEIKDQPQNVSENLLPQNAP IHKQNGDLLQAAKCYEKELGRLLRDAPSGIGSIFLSASELEDGSEE SSPRELLSNSEQLN  Research Area Immunology	Alias	CIG49ISG-60Interferon-induced 60 kDa protein ;IFI-60KInterferon-induced protein with tetratricopeptide repeats 4 ;IFIT-4Retinoic acid-induced gene G protein ;P60 ;RIG-G
Purity Greater than 90% as determined by SDS-PAGE.  MSEVTKNSLEKILPQLKCHFTWNLFKEDSVSRDLEDRVCNQIEFLI YNLLAYIKHLDGNNEAALECLRQAEELIQQEHADQAEIRSLVTWGN LGRLSDAQIYVDKVKQTCKKFSNPYSIEYSELDCEEGWTQLKCGF EKALEEKPNNPEFSSGLAIAMYHLDNHPEKQFSTDVLKQAIELSPE GLKLQKMNKEAEGEQFVEEALEKSPCQTDVLRSAAKFYRRKGDL VLESTPNNGYLYHQIGCCYKAKVRQMQNTGESEASGNKEMIEALI NKALEKGLNPLNAYSDLAEFLETECYQTPFNKEVPDAEKQQSHQI NGKSEDTAVQHGLEGLSISKKSTDKEEIKDQPQNVSENLLPQNAP IHKQNGDLLQAAKCYEKELGRLLRDAPSGIGSIFLSASELEDGSEE SSPRELLSNSEQLN  Research Area Immunology	Product Type	Recombinant Protein
Sequence  MSEVTKNSLEKILPQLKCHFTWNLFKEDSVSRDLEDRVCNQIEFLI YNLLAYIKHLDGNNEAALECLRQAEELIQQEHADQAEIRSLVTWGN LGRLSDAQIYVDKVKQTCKKFSNPYSIEYSELDCEEGWTQLKCGF EKALEEKPNNPEFSSGLAIAMYHLDNHPEKQFSTDVLKQAIELSPE GLKLQKMNKEAEGEQFVEEALEKSPCQTDVLRSAAKFYRRKGDL VLESTPNNGYLYHQIGCCYKAKVRQMQNTGESEASGNKEMIEALI NKALEKGLNPLNAYSDLAEFLETECYQTPFNKEVPDAEKQQSHQI NGKSEDTAVQHGLEGLSISKKSTDKEEIKDQPQNVSENLLPQNAP IHKQNGDLLQAAKCYEKELGRLLRDAPSGIGSIFLSASELEDGSEE SSPRELLSNSEQLN  Research Area  Immunology	Species	Homo sapiens (Human)
YNLLAYIKHLDGNNEAALECLRQAEELIQQEHADQAEIRSLVTWGN LGRLSDAQIYVDKVKQTCKKFSNPYSIEYSELDCEEGWTQLKCGF EKALEEKPNNPEFSSGLAIAMYHLDNHPEKQFSTDVLKQAIELSPE GLKLQKMNKEAEGEQFVEEALEKSPCQTDVLRSAAKFYRRKGDL VLESTPNNGYLYHQIGCCYKAKVRQMQNTGESEASGNKEMIEALI NKALEKGLNPLNAYSDLAEFLETECYQTPFNKEVPDAEKQQSHQI NGKSEDTAVQHGLEGLSISKKSTDKEEIKDQPQNVSENLLPQNAP IHKQNGDLLQAAKCYEKELGRLLRDAPSGIGSIFLSASELEDGSEE SSPRELLSNSEQLN  Research Area  Immunology	Purity	Greater than 90% as determined by SDS-PAGE.
	Sequence	MSEVTKNSLEKILPQLKCHFTWNLFKEDSVSRDLEDRVCNQIEFLNTEFKATM YNLLAYIKHLDGNNEAALECLRQAEELIQQEHADQAEIRSLVTWGNYAWVYYH LGRLSDAQIYVDKVKQTCKKFSNPYSIEYSELDCEEGWTQLKCGRNERAKVCF EKALEEKPNNPEFSSGLAIAMYHLDNHPEKQFSTDVLKQAIELSPDNQYVKVLL GLKLQKMNKEAEGEQFVEEALEKSPCQTDVLRSAAKFYRRKGDLDKAIELFQR VLESTPNNGYLYHQIGCCYKAKVRQMQNTGESEASGNKEMIEALKQYAMDYS NKALEKGLNPLNAYSDLAEFLETECYQTPFNKEVPDAEKQQSHQRYCNLQKY NGKSEDTAVQHGLEGLSISKKSTDKEEIKDQPQNVSENLLPQNAPNYWYLQGL IHKQNGDLLQAAKCYEKELGRLLRDAPSGIGSIFLSASELEDGSEEMGQGAVS SSPRELLSNSEQLN
	Research Area	Immunology
Source E.coli	Source	E.coli




## **CUSABIO TECHNOLOGY LLC**





Gene Names	IFIT3
<b>Expression Region</b>	1-490aa
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
Tag Info	N-terminal 6xHis-SUMO-tagged
Mol. Weight	72.0kDa
Protein Description	Full Length

**Image** 



(Tris-Glycine gel) Discontinuous SDS-PAGE (reduced) with 5% enrichment gel and 15% separation gel.