




ASCC1 Antibody

Product Code	CSB-PA002196LA01HU
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	Q8N9N2
Immunogen	Recombinant Human Activating signal cointegrator 1 complex subunit 1 protein (1-315AA)
Raised In	Rabbit
Species Reactivity	Human, Mouse
Tested Applications	ELISA, WB, IHC; Recommended dilution: WB:1:500-1:5000, IHC:1:20-1:200
Relevance	Enhances NF-kappa-B, SRF and AP1 transactivation. In cells responding to gastrin-activated paracrine signals, it is involved in the induction of SERPINB2 expression by gastrin.
Form	Liquid
Conjugate	Non-conjugated
Storage Buffer	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Purification Method	>95%, Protein G purified
Isotype	IgG
Clonality	Polyclonal
Alias	Activating signal cointegrator 1 complex subunit 1 (ASC-1 complex subunit p50) (Trip4 complex subunit p50), ASCC1
Species	Human
Research Area	Signal Transduction
Target Names	ASCC1

Image



Western Blot

Positive WB detected in: HeLa whole cell lysate, HEK293 whole cell lysate, Jurkat whole cell lysate, Mouse heart tissue, Mouse liver tissue, Mouse lung tissue, Mouse kidney tissue, Mouse brain tissue, Mouse stomach tissue


All lanes: ASCC1 antibody at 2.7µg/ml

Secondary

Goat polyclonal to rabbit IgG at 1/50000 dilution

Predicted band size: 46, 42 kDa

Observed band size: 46 kDa



Immunohistochemistry of paraffin-embedded human tonsil tissue using CSB-PA002196LA01HU at dilution of 1:100