





## **BLMH** Antibody

<b>Product Code</b>	CSB-PA002716ESR1HU
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	Q13867
Immunogen	Recombinant Human Bleomycin hydrolase protein (1-300AA)
Raised In	Rabbit
Species Reactivity	Human
<b>Tested Applications</b>	ELISA
Relevance	The normal physiological role of BLM hydrolase is unknown, but it catalyzes the inactivation of the antitumor drug BLM (a glycopeptide) by hydrolyzing the carboxamide bond of its B-aminoalaninamide moiety thus protecting normal and malignant cells from BLM toxicity.
Form	Liquid
Form Conjugate	Liquid Non-conjugated
	·
Conjugate	Non-conjugated
Conjugate Storage Buffer	Non-conjugated PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
Conjugate Storage Buffer Purification Method	Non-conjugated  PBS with 0.02% sodium azide, 50% glycerol, pH7.3.  Antigen Affinity Purified
Conjugate Storage Buffer Purification Method Isotype	Non-conjugated  PBS with 0.02% sodium azide, 50% glycerol, pH7.3.  Antigen Affinity Purified  IgG
Conjugate Storage Buffer Purification Method Isotype Clonality	Non-conjugated  PBS with 0.02% sodium azide, 50% glycerol, pH7.3.  Antigen Affinity Purified  IgG  Polyclonal
Conjugate Storage Buffer Purification Method Isotype Clonality Alias	Non-conjugated  PBS with 0.02% sodium azide, 50% glycerol, pH7.3.  Antigen Affinity Purified  IgG  Polyclonal  Bleomycin hydrolase (BH) (BLM hydrolase) (BMH) (EC 3.4.22.40), BLMH