


F3 Antibody

Product Code	CSB-PA007928LA01HU
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	P13726
Immunogen	Recombinant Human Tissue factor protein (33-251AA)
Raised In	Rabbit
Species Reactivity	Human, Mouse
Tested Applications	ELISA, WB, IHC, IF; Recommended dilution: WB:1:500-2000, IHC:1:20-1:200, IF:1:50-1:200
Relevance	Initiates blood coagulation by forming a complex with circulating factor VII or VIIa. The [TF:VIIa] complex activates factors IX or X by specific limited protolysis. TF plays a role in normal hemostasis by initiating the cell-surface assembly and propagation of the coagulation protease cascade.
Form	Liquid
Conjugate	Non-conjugated
Storage Buffer	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Purification Method	>95%, Protein G purified
Isotype	IgG
Clonality	Polyclonal
Alias	Tissue factor (TF) (Coagulation factor III) (Thromboplastin) (CD antigen CD142), F3
Species	Human
Research Area	Cardiovascular
Target Names	F3

Image



Western Blot

Positive WB detected in: Mouse brain


All lanes: F3 antibody at 4μg/ml

Secondary


Goat polyclonal to rabbit IgG at 1/50000 dilution

Predicted band size: 34, 28 kDa


Observed band size: 34 kDa




Immunohistochemistry of paraffin-embedded human colon cancer using CSB-PA007928LA01HU at dilution of 1:100



Immunohistochemistry of paraffin-embedded human lung tissue using CSB-PA007928LA01HU at dilution of 1:100



Immunohistochemistry of paraffin-embedded human lung cancer using CSB-PA007928LA01HU at dilution of 1:100



Immunofluorescent analysis of A549 cells using CSB-PA007928LA01HU at dilution of 1:100 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)