





## HEPACAM2 Antibody, FITC conjugated

Product Code	CSB-PA010288LC01HU
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	A8MVW5
Immunogen	Recombinant Human HEPACAM family member 2 protein (32-351AA)
Raised In	Rabbit
Species Reactivity	Human
<b>Tested Applications</b>	ELISA
Relevance	Required during prometaphase for centrosome maturation. Following poly-ADP-ribosylation (PARsylation) by TNKS, translocates from the Golgi apparatus to mitotic centrosomes and plays a key role in the formation of robust microtubules for prompt movement of chromosomes: anchors AKAP9/CG-NAP, a scaffold protein of the gamma-tubulin ring complex and promotes centrosome maturation.
Form	Liquid
Form Conjugate	Liquid FITC
	_ ·
Conjugate	FITC Preservative: 0.03% Proclin 300
Conjugate Storage Buffer	FITC  Preservative: 0.03% Proclin 300  Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Conjugate Storage Buffer Purification Method	FITC  Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4  >95%, Protein G purified
Conjugate Storage Buffer Purification Method Isotype	FITC  Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4  >95%, Protein G purified  IgG
Conjugate Storage Buffer  Purification Method Isotype Clonality	FITC  Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4  >95%, Protein G purified  IgG  Polyclonal
Conjugate Storage Buffer  Purification Method Isotype Clonality Alias	FITC  Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4  >95%, Protein G purified  IgG  Polyclonal  HEPACAM family member 2 (Mitotic kinetics regulator), HEPACAM2, MIKI