




Keap1 Antibody

| Product Code | CSB-PA012147LA01MO |
|---------------------|--|
| Storage | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. |
| Uniprot No. | Q9Z2X8 |
| Immunogen | Recombinant Mouse Kelch-like ECH-associated protein 1 protein (1-624AA) |
| Raised In | Rabbit |
| Species Reactivity | Mouse, Human |
| Tested Applications | ELISA, WB; Recommended dilution: WB:1:500-2000 |
| Relevance | Acts as a substrate adapter protein for the E3 ubiquitin ligase complex formed by CUL3 and RBX1 and targets NFE2L2/NRF2 for ubiquitination and degradation by the proteasome, thus resulting in the suppression of its transcriptional activity and the repression of antioxidant response element-mediated detoxifying enzyme gene expression. Retains NFE2L2/NRF2 and may also retain BPTF in the cytosol. Targets PGAM5 for ubiquitination and degradation by the proteasome (By similarity). |
| Form | Liquid |
| Conjugate | Non-conjugated |
| Storage Buffer | Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 |
| Purification Method | >95%, Protein G purified |
| Isotype | IgG |
| Clonality | Polyclonal |
| Alias | Kelch-like ECH-associated protein 1 (Cytosolic inhibitor of Nrf2) (INrf2), Keap1, Inrf2 Kiaa0132 |
| Species | Mus musculus (Mouse) |
| Research Area | Others |
| Target Names | Keap1 |
| Image | |



Western blot

All lanes: Keap1 antibody at 9µg/ml Lane 1: 293T whole cell lysate Lane 2: Jurkat whole cell lysate

Secondary

Goat polyclonal to Rabbit IgG at 1/10000 dilution

Predicted band size: 63 kDa Observed band size: 63 kDa