





PPARG Antibody, Biotin conjugated

Product Code	CSB-PA018424LD01HU
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	P37231
Immunogen	Recombinant Human Peroxisome proliferator-activated receptor gamma protein (1-477AA)
Raised In	Rabbit
Species Reactivity	Human
Tested Applications	ELISA
Relevance	Nuclear receptor that binds peroxisome proliferators such as hypolipidemic drugs and fatty acids. Once activated by a ligand, the nuclear receptor binds to DNA specific PPAR response elements (PPRE) and modulates the transcription of its target genes, such as acyl-CoA oxidase. It therefore controls the peroxisomal beta-oxidation pathway of fatty acids. Key regulator of adipocyte differentiation and glucose homeostasis. ARF6 acts as a key regulator of the tissue-specific adipocyte P2 (aP2) enhancer. Acts as a critical regulator of gut
	homeostasis by suppressing NF-kappa-B-mediated proinflammatory responses.
Form	homeostasis by suppressing NF-kappa-B-mediated proinflammatory responses. Liquid
Form Conjugate	
	Liquid
Conjugate	Liquid Biotin Preservative: 0.03% Proclin 300
Conjugate Storage Buffer	Liquid Biotin Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Conjugate Storage Buffer Purification Method	Liquid Biotin Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 >95%, Protein G purified
Conjugate Storage Buffer Purification Method Isotype	Liquid Biotin Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 >95%, Protein G purified IgG
Conjugate Storage Buffer Purification Method Isotype Clonality	Liquid Biotin Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 >95%, Protein G purified IgG Polyclonal Peroxisome proliferator-activated receptor gamma (PPAR-gamma) (Nuclear
Conjugate Storage Buffer Purification Method Isotype Clonality Alias	Liquid Biotin Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 >95%, Protein G purified IgG Polyclonal Peroxisome proliferator-activated receptor gamma (PPAR-gamma) (Nuclear receptor subfamily 1 group C member 3), PPARG, NR1C3