




RAD51D Antibody

Product Code	CSB-PA019268ESR1HU
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	O75771
Immunogen	Recombinant Human DNA repair protein RAD51 homolog 4 protein (1-328AA)
Raised In	Rabbit
Species Reactivity	Human
Tested Applications	ELISA, WB, IHC; Recommended dilution: WB:1:200-1:1000, IHC:1:20-1:200
Relevance	Involved in the homologous recombination repair (HRR) pathway of double-stranded DNA breaks arising during DNA replication or induced by DNA-damaging agents. Bind to single-stranded DNA (ssDNA) and has DNA-dependent ATPase activity. Part of the Rad21 paralog protein complex BCDX2 which acts in the BRCA1-BRCA2-dependent HR pathway. Upon DNA damage, BCDX2 acts downstream of BRCA2 recruitment and upstream of RAD51 recruitment. BCDX2 binds predominantly to the intersection of the four duplex arms of the Holliday junction and to junction of replication forks. The BCDX2 complex was originally reported to bind single-stranded DNA, single-stranded gaps in duplex DNA and specifically to nicks in duplex DNA. Involved in telomere maintenance. The BCDX2 subcomplex XRCC2:RAD51D can stimulate Holliday junction resolution by BLM.
Form	Liquid
Conjugate	Non-conjugated
Storage Buffer	PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
Purification Method	Antigen Affinity Purified
Isotype	IgG
Clonality	Polyclonal
Alias	DNA repair protein RAD51 homolog 4 (R51H3) (RAD51 homolog D) (RAD51-like protein 3) (TRAD), RAD51D, RAD51L3
Species	Human
Research Area	Epigenetics and Nuclear Signaling
Target Names	RAD51D
Image	



Western blot

All lanes: DNA repair protein RAD51 homolog 4 antibody at 8μg/ml + Jurkat whole cell lysate


Secondary

Goat polyclonal to rabbit IgG at 1/10000 dilution

Predicted band size: 36, 6, 24, 31, 13, 23, 38

kDa

Observed band size: 36 kDa



Immunohistochemistry of paraffin-embedded

human prostate cancer using CSB-

PA019268ESR1HU at dilution of 1:100