





## SCNN1B Antibody

Purification Method  The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.  Isotype  IgG  Alias  SCNN1B; Amiloride-sensitive sodium channel subunit beta; Beta-NaCH;		
Uniprot No.       P51168         Immunogen       Synthesized peptide derived from Human ENaC β around the non-phosphorylation site of T615.         Raised In       Rabbit         Species Reactivity       Human,Mouse,Rat         Tested Applications       IHC,IF,ELISA;IHC:1/100-1/300.IF:1/200-1/1000.ELISA:1/20000         Form       Liquid         Conjugate       Non-conjugated         Storage Buffer       Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.         Purification Method       The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.         Isotype       IgG         Alias       SCNN1B; Amiloride-sensitive sodium channel subunit beta; Beta-NaCH; Epithelial Na(+) channel subunit beta; Beta-ENaC; ENaCB; Nonvoltage-gate sodium channel 1 subunit beta; SCNEB         Species       Homo sapiens (Human)	<b>Product Code</b>	CSB-PA040297
Immunogen       Synthesized peptide derived from Human ENaC β around the non-phosphorylation site of T615.         Raised In       Rabbit         Species Reactivity       Human,Mouse,Rat         Tested Applications       IHC,IF,ELISA;IHC:1/100-1/300.IF:1/200-1/1000.ELISA:1/20000         Form       Liquid         Conjugate       Non-conjugated         Storage Buffer       Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.         Purification Method       The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.         Isotype       IgG         Alias       SCNN1B; Amiloride-sensitive sodium channel subunit beta; Beta-NaCH; Epithelial Na(+) channel subunit beta; Beta-ENaC; ENaCB; Nonvoltage-gate sodium channel 1 subunit beta; SCNEB         Species       Homo sapiens (Human)	Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Raised In Rabbit  Species Reactivity Human,Mouse,Rat  Tested Applications IHC,IF,ELISA;IHC:1/100-1/300.IF:1/200-1/1000.ELISA:1/20000  Form Liquid  Conjugate Non-conjugated  Storage Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.  Purification Method The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.  Isotype IgG  Alias SCNN1B; Amiloride-sensitive sodium channel subunit beta; Beta-NaCH; Epithelial Na(+) channel subunit beta; Beta-ENaC; ENaCB; Nonvoltage-gate sodium channel 1 subunit beta; SCNEB  Species Homo sapiens (Human)	Uniprot No.	P51168
Species Reactivity Human,Mouse,Rat  Tested Applications IHC,IF,ELISA;IHC:1/100-1/300.IF:1/200-1/1000.ELISA:1/20000  Form Liquid  Conjugate Non-conjugated  Storage Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.  Purification Method The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.  Isotype IgG  Alias SCNN1B; Amiloride-sensitive sodium channel subunit beta; Beta-NaCH; Epithelial Na(+) channel subunit beta; Beta-ENaC; ENaCB; Nonvoltage-gate sodium channel 1 subunit beta; SCNEB  Species Homo sapiens (Human)	Immunogen	
Tested Applications  IHC,IF,ELISA;IHC:1/100-1/300.IF:1/200-1/1000.ELISA:1/20000  Form  Liquid  Conjugate  Non-conjugated  Storage Buffer  Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.  Purification Method  The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.  Isotype  IgG  Alias  SCNN1B; Amiloride-sensitive sodium channel subunit beta; Beta-NaCH; Epithelial Na(+) channel subunit beta; Beta-ENaC; ENaCB; Nonvoltage-gate sodium channel 1 subunit beta; SCNEB  Species  Homo sapiens (Human)	Raised In	Rabbit
Form Liquid  Conjugate Non-conjugated  Storage Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.  Purification Method The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.  Isotype IgG  Alias SCNN1B; Amiloride-sensitive sodium channel subunit beta; Beta-NaCH; Epithelial Na(+) channel subunit beta; Beta-ENaC; ENaCB; Nonvoltage-gate sodium channel 1 subunit beta; SCNEB  Species Homo sapiens (Human)	Species Reactivity	Human,Mouse,Rat
Conjugate       Non-conjugated         Storage Buffer       Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.         Purification Method       The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.         Isotype       IgG         Alias       SCNN1B; Amiloride-sensitive sodium channel subunit beta; Beta-NaCH; Epithelial Na(+) channel subunit beta; Beta-ENaC; ENaCB; Nonvoltage-gate sodium channel 1 subunit beta; SCNEB         Species       Homo sapiens (Human)	<b>Tested Applications</b>	IHC,IF,ELISA;IHC:1/100-1/300.IF:1/200-1/1000.ELISA:1/20000
Storage Buffer  Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.  Purification Method  The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.  Isotype  IgG  Alias  SCNN1B; Amiloride-sensitive sodium channel subunit beta; Beta-NaCH; Epithelial Na(+) channel subunit beta; Beta-ENaC; ENaCB; Nonvoltage-gate sodium channel 1 subunit beta; SCNEB  Species  Homo sapiens (Human)	Form	Liquid
Purification Method  The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.  Isotype  IgG  SCNN1B; Amiloride-sensitive sodium channel subunit beta; Beta-NaCH; Epithelial Na(+) channel subunit beta; Beta-ENaC; ENaCB; Nonvoltage-gate sodium channel 1 subunit beta; SCNEB  Species  Homo sapiens (Human)	Conjugate	Non-conjugated
chromatography using epitope-specific immunogen.  Isotype  IgG  SCNN1B; Amiloride-sensitive sodium channel subunit beta; Beta-NaCH; Epithelial Na(+) channel subunit beta; Beta-ENaC; ENaCB; Nonvoltage-gate sodium channel 1 subunit beta; SCNEB  Species  Homo sapiens (Human)	Storage Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Alias  SCNN1B; Amiloride-sensitive sodium channel subunit beta; Beta-NaCH; Epithelial Na(+) channel subunit beta; Beta-ENaC; ENaCB; Nonvoltage-gate sodium channel 1 subunit beta; SCNEB  Species  Homo sapiens (Human)	Purification Method	
Epithelial Na(+) channel subunit beta; Beta-ENaC; ENaCB; Nonvoltage-gate sodium channel 1 subunit beta; SCNEB  Species Homo sapiens (Human)	Isotype	IgG
· · · · · · · · · · · · · · · · · · ·	Alias	Epithelial Na(+) channel subunit beta; Beta-ENaC; ENaCB; Nonvoltage-gated
Target Names SCNN1B	Species	Homo sapiens (Human)
	Target Names	SCNN1B