



SARS Antibody, Biotin conjugated

Product Code	CSB-PA04145D0Rb
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	P49591
Immunogen	Recombinant Human Serine--tRNA ligase, cytoplasmic protein (2-233AA)
Raised In	Rabbit
Species Reactivity	Human
Tested Applications	ELISA
Relevance	Catalyzes the attachment of serine to tRNA(Ser) in a two-step reaction: serine is first activated by ATP to form Ser-AMP and then transferred to the acceptor end of tRNA(Ser) (PubMed:22353712, PubMed:24095058, PubMed:9431993, PubMed:26433229, PubMed:28236339). Is probably also able to aminoacylate tRNA(Sec) with serine, to form the misacylated tRNA L-seryl-tRNA(Sec), which will be further converted into selenocysteinyl-tRNA(Sec) (PubMed:9431993, PubMed:26433229, PubMed:28236339). In the nucleus, binds to the VEGFA core promoter and prevents MYC binding and transcriptional activation by MYC (PubMed:24940000). Recruits SIRT2 to the VEGFA promoter, promoting deacetylation of histone H4 at 'Lys-16' (H4K16). Thereby, inhibits the production of VEGFA and sprouting angiogenesis mediated by VEGFA (PubMed:19423848, PubMed:19423847, PubMed:24940000).
Form	Liquid
Conjugate	Biotin
Storage Buffer	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Purification Method	>95%, Protein G purified
Isotype	IgG
Clonality	Polyclonal
Alias	Serine--tRNA ligase, cytoplasmic (EC 6.1.1.11) (Seryl-tRNA synthetase) (SerRS) (Seryl-tRNA(Ser/Sec) synthetase), SARS, SERS
Species	Human
Research Area	Epigenetics and Nuclear Signaling
Target Names	SARS