







## KARS Antibody

<b>Product Code</b>	CSB-PA04689A0Rb
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	Q15046
Immunogen	Recombinant Human LysinetRNA ligase protein (101-400AA)
Raised In	Rabbit
Species Reactivity	Human
Tested Applications	ELISA, WB, IHC, IF; Recommended dilution: WB:1:500-1:5000, IHC:1:20-1:200, IF:1:50-1:200
Relevance	Catalyzes the specific attachment of an amino acid to its cognate tRNA in a 2 step reaction: the amino acid (AA) is first activated by ATP to form AA-AMP and then transferred to the acceptor end of the tRNA (PubMed:9278442, PubMed:18029264, PubMed:18272479). When secreted, acts as a signaling molecule that induces immune response through the activation of monocyte/macrophages (PubMed:15851690). Catalyzes the synthesis of the signaling molecule diadenosine tetraphosphate (Ap4A), and thereby mediates disruption of the complex between HINT1 and MITF and the concomitant activation of MITF transcriptional activity (PubMed:5338216, PubMed:14975237, PubMed:19524539, PubMed:23159739). (Microbial infection) Interacts with HIV-1 virus GAG protein, facilitating the selective packaging of tRNA3(Lys), the primer for reverse transcription initiation.
Form	Liquid
Conjugate	Non-conjugated
Storage Buffer	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
<b>Purification Method</b>	>95%, Protein G purified
Isotype	IgG
Clonality	Polyclonal
Alias	LysinetRNA ligase (EC 2.7.7) (EC 6.1.1.6) (Lysyl-tRNA synthetase) (LysRS), KARS, KIAA0070
Species	Human
Research Area	Epigenetics and Nuclear Signaling
Target Names	KARS
Image	















Western Blot

Positive WB detected in: MCF-7 whole cell lysate


All lanes: KARS antibody at 2.5µg/ml

Goat polyclonal to rabbit IgG at 1/50000 dilution

Predicted band size: 69, 72 kDa Observed band size: 69 kDa



Immunohistochemistry of paraffin-embedded human colon cancer using CSB-PA04689A0Rb at dilution of 1:100



Immunofluorescent analysis of Hela cells using CSB-PA04689A0Rb at dilution of 1:100 and Alexa Fluor 488-congugated AffiniPure Goat Anti-Rabbit IgG(H+L)