





Acetyl-TP53 (K317) Antibody

Product CodeCSB-PA050291StorageUpon receipt, store at -20°C or -80°C. Avoid repeated freeze.Uniprot No.P04637ImmunogenSynthesized peptide derived from Human p53 around the acetylation site of K317.Raised InRabbitSpecies ReactivityHumanTested ApplicationsELISA;ELISA:1/10000FormLiquidConjugateNon-conjugatedStorage BufferLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.IsotypeIgGAliasTP53; P53; Cellular tumor antigen p53; Antigen NY-CO-13; Phosphoprotein p53; Tumor suppressor p53Target NamesTP53		
Uniprot No.P04637ImmunogenSynthesized peptide derived from Human p53 around the acetylation site of K317.Raised InRabbitSpecies ReactivityHumanTested ApplicationsELISA;ELISA:1/10000FormLiquidConjugateNon-conjugatedStorage BufferLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.IsotypeIgGAliasTP53; P53; Cellular tumor antigen p53; Antigen NY-CO-13; Phosphoprotein p53; Tumor suppressor p53	Product Code	CSB-PA050291
ImmunogenSynthesized peptide derived from Human p53 around the acetylation site of K317.Raised InRabbitSpecies ReactivityHumanTested ApplicationsELISA;ELISA:1/10000FormLiquidConjugateNon-conjugatedStorage BufferLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.IsotypeIgGAliasTP53; P53; Cellular tumor antigen p53; Antigen NY-CO-13; Phosphoprotein p53; Tumor suppressor p53	Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Raised In Rabbit Species Reactivity Human Tested Applications ELISA;ELISA:1/10000 Form Liquid Conjugate Non-conjugated Storage Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Purification Method The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Isotype IgG Alias TP53; P53; Cellular tumor antigen p53; Antigen NY-CO-13; Phosphoprotein p53; Tumor suppressor p53	Uniprot No.	P04637
Species ReactivityHumanTested ApplicationsELISA;ELISA:1/10000FormLiquidConjugateNon-conjugatedStorage BufferLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.IsotypeIgGAliasTP53; P53; Cellular tumor antigen p53; Antigen NY-CO-13; Phosphoprotein p53; Tumor suppressor p53	Immunogen	
Tested Applications ELISA;ELISA:1/10000 Form Liquid Conjugate Non-conjugated Storage Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Purification Method The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Isotype IgG Alias TP53; P53; Cellular tumor antigen p53; Antigen NY-CO-13; Phosphoprotein p53; Tumor suppressor p53	Raised In	Rabbit
Form Liquid Conjugate Non-conjugated Storage Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Purification Method The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Isotype IgG Alias TP53; P53; Cellular tumor antigen p53; Antigen NY-CO-13; Phosphoprotein p53; Tumor suppressor p53	Species Reactivity	Human
Conjugate Non-conjugated Storage Buffer Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide. Purification Method The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Isotype IgG Alias TP53; P53; Cellular tumor antigen p53; Antigen NY-CO-13; Phosphoprotein p53; Tumor suppressor p53	Tested Applications	ELISA;ELISA:1/10000
Storage BufferLiquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.Purification MethodThe antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.IsotypeIgGAliasTP53; P53; Cellular tumor antigen p53; Antigen NY-CO-13; Phosphoprotein p53; Tumor suppressor p53	Form	Liquid
Purification Method The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. Isotype IgG Alias TP53; P53; Cellular tumor antigen p53; Antigen NY-CO-13; Phosphoprotein p53; Tumor suppressor p53	Conjugate	Non-conjugated
chromatography using epitope-specific immunogen. Isotype IgG Alias TP53; P53; Cellular tumor antigen p53; Antigen NY-CO-13; Phosphoprotein p53; Tumor suppressor p53	Storage Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Alias TP53; P53; Cellular tumor antigen p53; Antigen NY-CO-13; Phosphoprotein p53; Tumor suppressor p53	Purification Method	
p53; Tumor suppressor p53	Isotype	IgG
Target Names TP53	Alias	
	Target Names	TP53