


Image





NFASC Antibody

CSB-PA073153
Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
O94856
Synthetic peptide of Human NFASC
Rabbit
Human, Mouse, Rat
ELISA,WB,IHC;ELISA:1:1000-1:2000,WB:1:200-1:1000,IHC:1:25-1:100
This gene encodes an L1 family immunoglobulin cell adhesion molecule with multiple IGcam and fibronectin domains. The protein functions in neurite outgrowth, neurite fasciculation, and organization of the axon initial segment (AIS) and nodes of Ranvier on axons during early development. Both the AIS and nodes of Ranvier contain high densities of voltage-gated Na+ (Nav) channels which are clustered by interactions with cytoskeletal and scaffolding proteins including this protein, gliomedin, ankyrin 3 (ankyrin-G), and betaIV spectrin. This protein links the AIS extracellular matrix to the intracellular cytoskeleton. This gene undergoes extensive alternative splicing, and the full-length nature of some variants has not been determined.
Liquid
Non-conjugated
-20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol
Antigen affinity purification
IgG
Homo sapiens (Human)




The image on the left is immunohistochemistry of paraffin-embedded Human brain tissue using CSB-PA073153(NFASC Antibody) at dilution 1/30, on the right is treated with synthetic peptide. (Original magnification: ×200)



CUSABIO TECHNOLOGY LLC







Gel: 10%SDS-PAGE, Lysate: 40 µg, Lane: A549 cells, Primary antibody: CSB-PA073153(NFASC Antibody) at dilution 1/400, Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution, Exposure time: 1 minute