






Phospho-SMAD2 (Thr220) Antibody

Product Code	CSB-PA084599
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	Q15796
Immunogen	Peptide sequence around phosphorylation site of threonine 220 (P-E-T(p)-P-P) derived from Human Smad2.
Raised In	Rabbit
Species Reactivity	Human,Mouse,Rat
Specificity	The antibody detects endogenous level of Smad2 only when phosphorylated at threonine 220.
Tested Applications	ELISA,WB;WB:1:500-1:1000
Relevance	Transcriptional modulator activated by TGF-beta and activin type 1 receptor kinase. SMAD2 is a receptor-regulated SMAD (R-SMAD). May act as a tumor suppressor in colorectal carcinoma. Sang Gyun Kim et al. (2004) Mol Biol Cell. February; 15(2): 420
Farms	
Form	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Purification Method	Antibodies were produced by immunizing rabbits with synthetic phosphopeptide and KLH conjugates. Antibodies were purified by affinity-chromatography using epitope-specific phosphopeptide. Non-phospho specific antibodies were removed by chromatogramphy usi
Purification Method Clonality	and KLH conjugates. Antibodies were purified by affinity-chromatography using epitope-specific phosphopeptide. Non-phospho specific antibodies were
	and KLH conjugates. Antibodies were purified by affinity-chromatography using epitope-specific phosphopeptide. Non-phospho specific antibodies were removed by chromatogramphy usi
Clonality	and KLH conjugates. Antibodies were purified by affinity-chromatography using epitope-specific phosphopeptide. Non-phospho specific antibodies were removed by chromatogramphy usi Polyclonal JV18-1; MADH2; MADR2; Mad-related protein 2; Mothers against DPP homolog
Clonality	and KLH conjugates. Antibodies were purified by affinity-chromatography using epitope-specific phosphopeptide. Non-phospho specific antibodies were removed by chromatogramphy usi Polyclonal JV18-1; MADH2; MADR2; Mad-related protein 2; Mothers against DPP homolog 2
Clonality Alias Product Type	and KLH conjugates. Antibodies were purified by affinity-chromatography using epitope-specific phosphopeptide. Non-phospho specific antibodies were removed by chromatogramphy usi Polyclonal JV18-1; MADH2; MADR2; Mad-related protein 2; Mothers against DPP homolog 2 Polyclonal Antibody

Image



Western blot analysis of extracts from Hela cells untreated or treated with PMA using Smad2(Phospho-Thr220) Antibody.

Product Modify

Phospho-Thr220