






## MAPK9/MAPK10 (Ab-183) Antibody


<b>Product Code</b>	CSB-PA117331
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	P45984
Immunogen	Peptide sequence around aa.181~185 (M-M-T-P-Y) derived from Human SAPK/JNK.
Raised In	Rabbit
Species Reactivity	Human,Mouse,Rat
Specificity	The antibody detects endogenous level of total SAPK/JNK protein.
<b>Tested Applications</b>	ELISA,WB,IHC;WB:1:500-1:1000,IHC:1:50-1:200
Relevance	Responds to activation by environmental stress and pro-inflammatory cytokines by phosphorylating a number of transcription factors, primarily components of AP-1 such as c-Jun and ATF2 and thus regulates AP-1 transcriptional activity. In T-cells, JNK1 and JNK2 are required for polarized differentiation of T-helper cells into Th1 cells.  Ferrer, et al. (2003) Neuropathology & Applied Neurobiology 29: 23 Zhonghong Guan, et al. (1999) J Biol Chem, Vol. 274: 36200-36206 D.Margriet Ouwens1, et al. (2002)The EMBO Journal 21: 3782
Form	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Purification Method	Antibodies were produced by immunizing rabbits with synthetic peptide and KLH conjugates. Antibodies were purified by affinity-chromatography using epitope-
	specific peptide.
Clonality	specific peptide. Polyclonal
Clonality Alias	
-	Polyclonal
Alias	Polyclonal JNK2
Alias Product Type	Polyclonal  JNK2  Polyclonal Antibody



Western blot analysis of extracts from Hela and MCF cells using SAPK/JNK(Ab-183) Antibody.




## **CUSABIO TECHNOLOGY LLC**











Immunohistochemical analysis of paraffinembedded human breast carcinoma tissue using SAPK/JNK(Ab-183) Antibody(left) or the same antibody preincubated with blocking peptide(right).