






## **MVK** Antibody

<b>Product Code</b>	CSB-PA229254
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	Q03426
Immunogen	Fusion protein of Human MVK
Raised In	Rabbit
Species Reactivity	Human,Mouse,Rat
<b>Tested Applications</b>	ELISA,WB,IHC;ELISA:1:1000-1:2000,WB:1:200-1:1000,IHC:1:50-1:200
Relevance	This gene encodes the peroxisomal enzyme mevalonate kinase. Mevalonate is a key intermediate, and mevalonate kinase a key early enzyme, in isoprenoid and sterol synthesis. Mevalonate kinase deficiency caused by mutation of this gene results in mevalonic aciduria, a disease characterized psychomotor retardation, failure to thrive, hepatosplenomegaly, anemia and recurrent febrile crises. Defects in this gene also cause hyperimmunoglobulinaemia D and periodic fever syndrome, a disorder characterized by recurrent episodes of fever associated with lymphadenopathy, arthralgia, gastrointestinal dismay and skin rash.
Form	Liquid
Conjugate	Non-conjugated
Storage Buffer	-20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol
Purification Method	Antigen affinity purification
Isotype	IgG
Species	Homo sapiens (Human)
Target Names	MVK
Image	The image on the left is immunohistochemistry of



The image on the left is immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using CSB-PA229254(MVK Antibody) at dilution 1/20, on the right is treated with fusion protein. (Original magnification: x200)















The image on the left is immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using CSB-PA229254(MVK Antibody) at dilution 1/20, on the right is treated with fusion protein. (Original magnification: ×200)



Gel: 8%SDS-PAGE, Lysate: 40 μg, Lane: Raji cells, Primary antibody: CSB-PA229254(MVK Antibody) at dilution 1/300, Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution, Exposure time: 2 seconds