


Image






ACTR3B Antibody

| CSB-PA271275 |
|---|
| Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. |
| Q9P1U1 |
| Fusion protein of Human ACTR3B |
| Rabbit |
| Human, Mouse |
| ELISA,WB,IHC;ELISA:1:1000-1:2000,WB:1:200-1:1000,IHC:1:15-1:50 |
| This gene encodes a member of the actin-related proteins (ARP), which form multiprotein complexes and share 35-55% amino acid identity with conventional actin. The protein encoded by this gene may have a regulatory role in the actin cytoskeleton and induce cell-shape change and motility. Pseudogenes of this gene are located on chromosomes 2, 4, 10, 16, 22 and Y. Alternative splicing results in multiple transcript variants and protein isoforms. |
| Liquid |
| Non-conjugated |
| -20°C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol |
| Antigen affinity purification |
| IgG |
| Homo sapiens (Human) |
| ACTR3B |
| |



The image on the left is immunohistochemistry of paraffin-embedded Human lung cancer tissue using CSB-PA271275(ACTR3B Antibody) at dilution 1/15, on the right is treated with fusion protein. (Original magnification: ×200)



The image on the left is immunohistochemistry of paraffin-embedded Human gastic cancer tissue using CSB-PA271275(ACTR3B Antibody) at dilution 1/15, on the right is treated with fusion protein. (Original magnification: ×200)




CUSABIO TECHNOLOGY LLC











Gel: 10%SDS-PAGE, Lysate: 40 μg , Lane: Mouse brain tissue, Primary antibody: CSB-PA271275(ACTR3B Antibody) at dilution 1/250, Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution, Exposure time: 30 seconds